Contents

•	ROPE LIGHT	2
•	MODULAR LIGHTING CONNECTION SYSTEM	13
•	CORD LIGHT PROFESSIONAL	21
	TREE LIGHT 24V & 230V	31
•	PEAK LIGHT	33
•	CORD LIGHT	37
	CORD LIGHT MODULAR 24V	40
•	CASCADE LIGHT	43
•	WEB LIGHT	44
	ROUND NET LIGHT	46
	SNOW BAR LIGHT + MOTIFS	47
•	CHASY LIGHT	51
	CLUSTER LIGHT	53
•	BASIC LINE	54
•	CANDLE LIGHTS	58
	FLOWER LIGHTS	62
•	FLAT CABLE & BELT LIGHT	64
•	LAMPS (FOR BELT LIGHT)	67
•	CONE TREES	73



TRONIX ROPE LIGHT

Rope Light is designed for decorative lighting purposes and makes a perfect outlining tool. It is an easy and cost-effective solution for a broad range of applications: from small accent lighting tasks to eye-catching party and event lighting effects.

Tronix Rope Light is available in LED or incandescent, low and high voltage, 2 or 3 wire rope and offers a wide range of style and colors. LED rope light is just as bright as incandescent rope light, but uses two-thirds less energy and offers a large choice in colors. Tronix Rope Light includes a power cable and is equipped with a clear PVC tubing.

CONTROLLERS AND ACCESSORIES

Our wide selection of Rope Light accessories stands for custom-made solutions and a wide range of installation possibilities. 2 or 3 wire controllers are available to create flash or chase light.

Note: All 12 and 24 volt rope lights require a transformer







LED ROPE LIGHT 12V WHITE

15 meter roll


Ordercode: 045-001 Color: White Input: 12V DC Power: 2,9 Watt/meter Length: 15 meter Max. length: 15 meter Diameter: 13mm Cutting length: 8,3cm LED p/meter: 36 Cable type: Stripped Wire IP Rate: IP44 Carton Quantity: 5



LED ROPE LIGHT 12V WARM WHITE

15 meter roll

Ordercode: 045-008 Color: Warm White Input: 12V DC Power: 2,9 Watt/meter Length: 15 meter Max. length: 15 meter Diameter: 13mm Cutting length: 8,3cm LED p/meter: 36 Cable type: Stripped Wire IP Rate: IP44 Carton Quantity: 5



LED ROPE LIGHT 12V BLUE

15 meter roll

Ordercode: 045-002 Color: Blue Input: 12V DC Power: 2,9 Watt/meter Length: 15 meter Max. length: 15 meter Diameter: 13mm Cutting length: 8,3cm


LED p/meter: 36 Cable type: Stripped Wire IP Rate: IP44 Carton Quantity: 5



LED ROPE LIGHT 12V GREEN

15 meter roll

Ordercode: 045-003 Color: Green Input: 12V DC Power: 2,9 Watt/meter Length: 15 meter Max. length: 15 meter Diameter: 13mm Cutting length: 8,3cm LED p/meter: 36 Cable type: Stripped Wire IP Rate: IP44 Carton Quantity: 5



LED ROPE LIGHT 12V RED

15 meter roll

Ordercode: 045-004 Color: Red Input: 12V DC Power: 1,7 Watt/meter

Length: 15 meter Max. length: 15 meter Diameter: 13mm Cutting length: 14cm LED p/meter: 36 Cable type: Stripped Wire IP Rate: IP44 Carton Quantity: 5





LED ROPE LIGHT 12V YELLOW

15 meter roll

Ordercode: 045-005 Color: Yellow Input: 12V DC Power: 1,7 Watt/meter Length: 15 meter Max. length: 15 meter Diameter: 13mm Cutting length: 14cm LED p/meter: 36 Cable type: Stripped Wire IP Rate: IP44 Carton Quantity: 5



LED ROPE LIGHT 24V WHITE

30 meter roll

Ordercode: 050-001 Color: White Input: 24V DC Power: 2,9 Watt/meter Length: 30 meter Max. length: 30 meter Diameter: 13mm Cutting length: 17cm LED p/meter: 36 Cable type: Stripped Wire IP Rate: IP44 Carton Quantity: 1




LED ROPE LIGHT 24V WARM WHITE

30 meter roll

Ordercode: 050-008 Color: Warm White Input: 24V DC Power: 2,9 Watt/meter Length: 30 meter Max. length: 30 meter Diameter: 13mm Cutting length: 17cm

LED p/meter: 36 Cable type: Stripped Wire IP Rate: IP44 Carton Quantity: 1




LED ROPE LIGHT 24V BLUE

30 meter roll

Ordercode: 050-002 Color: Blue Input: 24V DC Power: 2,9 Watt/meter Length: 30 meter Max. length: 30 meter Diameter: 13mm Cutting length: 17cm LED p/meter: 36

Cable type: Stripped Wire

IP Rate: IP44 Carton Quantity: 1



LED ROPE LIGHT 24V GREEN

30 meter roll

Ordercode: 050-003 Color: Green Input: 24V DC Power: 2,9 Watt/meter Length: 30 meter Max. length: 30 meter Diameter: 13mm Cutting length: 17cm **LED p/meter:** 36 **Cable type:** Stripped Wire





LED ROPE LIGHT 24V RED

30 meter roll

Ordercode: 050-004 Color: Red Input: 24V DC Power: 1,7 Watt/meter

Length: 30 meter Max. length: 30 meter Diameter: 13mm Cutting length: 28cm

LED p/meter: 36 Cable type: Stripped Wire IP Rate: IP44 Carton Quantity: 1



LED ROPE LIGHT 24V YELLOW

30 meter roll

Ordercode: 050-005 Color: Yellow Input: 24V DC Power: 1,7 Watt/meter Length: 30 meter Max. length: 30 meter Diameter: 13mm Cutting length: 28cm

LED p/meter: 36 Cable type: Stripped Wire IP Rate: IP44 Carton Quantity: 1



LED ROPE LIGHT 230V WHITE

51 meter roll

Ordercode: 055-001 Color: White Input: 230V

Power: 3,2 Watt/meter **Lumen: 250**

Length: 51 meter Max. length: 51 meter Diameter: 13mm Cutting length: 150cm

LED p/meter: 36 Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



LED ROPE LIGHT 230V WARM WHITE

51 meter roll

Ordercode: 055-008 Color: Warm White Input: 230V Power: 3,2 Watt/meter

Lumen: 200

Length: 51 meter Max. length: 51 meter Diameter: 13mm Cutting length: 150cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



LED ROPE LIGHT 230V BLUE

51 meter roll

Ordercode: 055-002 Color: Blue Input: 230V

Power: 3,2 Watt/meter

Length: 51 meter Max. length: 51 meter Diameter: 13mm Cutting length: 150cm LED p/meter: 36

Cable type: Schuko ungrounded





LED ROPE LIGHT 230V GREEN

51 meter roll

Ordercode: 055-003 Color: Green Input: 230V Power: 3,2 Watt/meter

Length: 51 meter Max. length: 51 meter Diameter: 13mm Cutting length: 150cm LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



LED ROPE LIGHT 230V RED

50 meter roll

Ordercode: 055-004 Color: Red Input: 230V Power: 2,4 Watt/meter Length: 50 meter Max. length: 50 meter Diameter: 13mm Cutting length: 200cm LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



LED ROPE LIGHT 230V YELLOW

50 meter roll

Ordercode: 055-005 Color: Yellow Input: 230V

Input: 230V
Power: 2,4 Watt/meter

Length: 50 meter
Max. length: 50 meter
Diameter: 13mm
Cutting length: 200cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



LED ROPE LIGHT 230V MULTI COLOR

50 meter roll

Ordercode: 055-000 Color: Multi Color Input: 230V Power: 2,4 Watt/meter

Length: 50 meter Max. length: 50 meter Diameter: 13mm Cutting length: 200cm LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



LED ROPE LIGHT 230V HORIZONTAL WHITE

50 meter roll with horizontal LED structure

Ordercode: 055-101 Color: White Input: 230V Power: 2,7 Watt/meter

Length: 50 meter Max. length: 50 meter Diameter: 13mm Cutting length: 100cm LED p/meter: 30

Cable type: Schuko ungrounded





LED ROPE LIGHT 230V HORIZONTAL WARM WHITE

50 meter roll with horizontal LED structure

Ordercode: 055-108 Color: Warm White Input: 230V Power: 2,7 Watt/meter

Length: 50 meter Max. length: 50 meter Diameter: 13mm Cutting length: 100cm **LED p/meter:** 30 **Cable type:** Schuko ungrounded

IP Rate: IP44
Carton Quantity: 1




LED 3 WIRE ROPE LIGHT 230V WHITE

99 meter roll

Ordercode: 060-001 Color: White Input: 230V Power: 3,2 Watt/meter Length: 99 meter Max. length: 99 meter Diameter: 13mm Cutting length: 300cm LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1




LED 3 WIRE ROPE LIGHT 230V BLUE

99 meter roll

Ordercode: 060-002 Color: Blue Input: 230V Power: 3,2 Watt/meter Length: 99 meter Max. length: 99 meter Diameter: 13mm Cutting length: 300cm LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V GREEN

99 meter roll

Ordercode: 060-003 Color: Green Input: 230V Power: 3,2 Watt/meter Length: 99 meter Max. length: 99 meter Diameter: 13mm Cutting length: 300cm

LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



LED 3 WIRE ROPE LIGHT 230V RED

99 meter roll

Ordercode: 060-004 Color: Red Input: 230V Power: 2,4 Watt/meter

Max. length: 99 meter Diameter: 13mm Cutting length: 300cm

Length: 99 meter

LED p/meter: 36

Cable type: Schuko ungrounded





LED 3 WIRE ROPE LIGHT 230V YELLOW

99 meter roll

Ordercode: 060-005 Color: Yellow Input: 230V Power: 2,4 Watt/meter

Length: 99 meter Max. length: 99 meter Diameter: 13mm Cutting length: 300cm LED p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V CLEAR

9 meter roll Retail pack

Ordercode: 480-019 Color: Clear Input: 230V Power: 16,5 Watt/meter Length: 9 meter Max. length: 45 meter Diameter: 13mm Cutting length: 100cm

Bulbs p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V CLEAR

45 meter roll

Ordercode: 480-030 Color: Clear Input: 230V

Power: 16,5 Watt/meter

Length: 45 meter Max. length: 45 meter Diameter: 13mm Cutting length: 100cm

LED p/meter: 36

Bulbs type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V BLUE

45 meter roll

Ordercode: 480-035 Color: Blue Input: 230V

Power: 16,5 Watt/meter

Length: 45 meter Max. length: 45 meter Diameter: 13mm Cutting length: 100cm

Bulbs p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V GREEN

45 meter roll

Ordercode: 480-040 Color: Green Input: 230V Power: 16,5 Watt/meter

Length: 45 meter Max. length: 45 meter Diameter: 13mm Cutting length: 100cm Bulbs p/meter: 36

Cable type: Schuko ungrounded

Rope Light Conventional



CONVENTIONAL ROPE LIGHT (BULB) 230V RED

45 meter roll

Ordercode: 480-045 Color: Red Input: 230V Power: 16,5 Watt/meter

Length: 45 meter Max. length: 45 meter Diameter: 13mm Cutting length: 100cm Bulbs p/meter: 36
Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V YELLOW

45 meter roll

Ordercode: 480-050 Color: Yellow Input: 230V Power: 16,5 Watt/meter Length: 45 meter Max. length: 45 meter Diameter: 13mm Cutting length: 100cm Bulbs p/meter: 36

Cable type: Schuko ungrounded **IP Rate:** IP44

IP Rate: IP44 Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V MULTI-COLOR

45 meter roll

Ordercode: 480-060 Color: Multi Color Input: 230V

Power: 16,5 Watt/meter

Length: 45 meter Max. length: 45 meter Diameter: 13mm Cutting length: 100cm

Bulbs p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V ORANGE

45 meter roll

Ordercode: 480-055 Color: Orange Input: 230V

Power: 16,5 Watt/meter

Length: 45 meter Max. length: 45 meter Diameter: 13mm Cutting length: 100cm

Bulbs p/meter: 36

Cable type: Schuko ungrounded

IP Rate: IP44 Carton Quantity: 1



CONVENTIONAL ROPE LIGHT (BULB) 230V MILKY WHITE

45 meter roll

Ordercode: 480-075 Color: Milky White Input: 230V Power: 16,5 Watt/meter

Length: 45 meter Max. length: 45 meter Diameter: 13mm Cutting length: 100cm **Bulbs p/meter:** 36 **Cable type:** Schuko ungrounded

Accessories for 13mm Rope Light



PVC CHANNEL FOR 13MM ROPE LIGHT

2 meter length

Ordercode: 485-160 Length: 200cm Bunch Quantity: 50



PET CHANNEL FOR 13MM ROPE LIGHT - UV RESISTANT

2 meter length

Pet is resistant against UV, chlorine and salt water, and impact resistant.

Ordercode: 485-165 Length: 200cm Bunch Quantity: 50



ALUMINIUM CHANNEL FOR 13MM ROPE LIGHT

2 meter length

Always keep 4mm space between each 2M channel. Channel will extend when getting warm.

Ordercode: 485-170 Length: 200cm Bunch Quantity: 25



LED POWER CABLE 13MM OUTDOOR WITH PLUG AND END CAP

for 230V LED Rope Light

Ordercode: 065-005 Length: 150cm Plug type: Schuko ungrounded

IP Rate: IP44
Carton Quantity: 50

With UK plug: 065-006 With Swiss plug: 065-007



CONVENTIONAL POWER CABLE 13MM OUTDOOR WITH END CAP AND GLUE - RETAIL PACK WITH TOPCARD

for conventional Rope Light 13mm

Ordercode: 485-015 Length: 150cm Plug type: Schuko ungrounded

Accessories for 13mm Rope Light



POWER CABLE 13MM INDOOR WITH END CAP - RETAIL PACK WITH **TOPCARD**

for conventional Rope Light 13mm

Ordercode: 485-010

Length: 150cm

Plug type: Euro IP Rate: IP20 **Carton Quantity:** 60



CROCODILE CLIP 13MM 25PCS - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-060 Box Quantity: 50x 25pcs



MOUNTING CLIP 13MM 25PCS - RETAIL PACK WITH TOPCARD

for conventional and LED Rope Light 13mm

Ordercode: 485-070 Box Quantity: 100x 25pcs



CONTROLLER 2 WIRES 1 CIRCUIT FLASHING

for conventional Rope Light 13mm

Ordercode: 545-005 IP Rate: IP44

Carton Quantity: 1

Accessories for 3 wire Rope Light



LED CONTROLLER 3 WIRES 230 VOLT WITH 8 FUNCTIONS

for 3 wire LED Rope Light 13mm

Ordercode: 214-007 IP Rate: IP44

Carton Quantity: 1

GENERAL INSTRUCTIONS FOR USING ROPE LIGHT

- **1.** Make sure the power is switched off during installation. Never connect the mains voltage while the light tube is still on the reel; the heat development can cause fire. Never cover the light tube while lit.
- 2. Check whether the mains voltage of the Rope Light corresponds with the mains voltage of the power supply.
- **3.** For LED Rope Light 230V and low voltage connected to a transformer, always use a power cable with converter, otherwise the LEDs will flicker. For low voltage it is best to use a stabilized DC power supply in which case you don't need a converter.
- **4.** Only cut the Rope Light at the identification mark, otherwise part of the tube will be permanently useless. Make absolutely sure that the mains voltage is not connected. Use a pair of sharp cutting pliers and make sure the edge is smooth and at the right angles.
- **5.** Mains supply cable and connectors.
- 6. Always seal the end of a (cutted) cable with an end cap, which must be glued on with pvc or silicon glue.

7. Assembly

Assemble the Rope Light in such a way that there is sufficient ventilation and the heat can flow off. Do not assemble on surfaces that can vibrate or rattle violently due to severe wind. Decorations that are spanned over the road or are applied at shopping centers must be allowed some movement with the wind. Assemble the tube face front (the part producing the most light) and only cut the rope light per complete unit and at the identification marks such as shown in the following diagram.

8. Installation

Depending on the specific circumstances different fixing material are available. Use tie-wraps along a steel wire or preshaped frame; for outdoor usage take the UV-durable quality. An aluminium channel is available for straight lines such as PVC, PET. Crocodile clips and mounting clips can be used for both straight and bent lines. Affixation distance: the recommended distance for clips and bundling straps; horizontal 20 cm and vertical 30 cm. Make sure the Rope Light is not twisted.

9. Expansion

Aluminium channels have a coefficient of expansion, meaning that the difference in length per 2 meter can increase with several millimeters. Make sure to keep about 4mm of space between two channels.

10. Preheating and use

It is important to preheat Rope Light (especially at low outside temperatures) before starting to use the material. You can do this by connecting the required length to the mains supply, allowing the Rope Light to burn for a couple of minutes until it is flexible. Especially when making bends it is very important to preheat the rope. Disconnect the mains supply before starting the assembly. Always unwind Rope Light from the reel, this prevents loops or swaying which could damage the internal wiring.

11. Bending

It is very important to bend Rope Light perpendicular - straight up or down - at the wires. Make absolutely sure to bend rope light in the right direction, up or down, making sure that the two internal wires make the same curve. Avoid at all times that one of the two wires (the inner side one) needs to make a very sharp curve because of wrong bending. Bending rope light incorrectly can cause damage to the internal wiring. Please see drawing below for illustration.

12. Please always read the user manual carefully before installation. A User Manual for Rope Light is supplied with delivery or can be downloaded on our website www.tronixlighting.nl






MODULAR LIGHTING CONNECTION SYSTEM™



ENDLESS POSSIBILITIES TO CREATE YOUR OWN CORD LIGHT, CASCADE LIGHT OR PEAK LIGHT


ProSYSTEM LED 230V













CASCADE LIGHT POSSIBILITIES:



CORD LIGHT POSSIBILITIES:

PEAK LIGHT POSSIBILITIES:








Cascade Light and Cord Light Strings





Connectable Cascade/Cord Light Strings – 10m or 6m



10,0 METER STRING (CONNECTABLE)

Input: 230V No. of strings: 1 LED Quantity: not included 100 per string Power Cable: Length: 10 meter Carton **IP Rate:** IP44 **Quantity:** 6 Power: 7,5 Watt

ORDERCODE:	LED COLOR:	WIRE COLOR:
010-151	White	Black
010-158	Warm White	Black
010-159	Warm White+	Black
010-161	White	White
010-168	Warm White	White
010-162	Warm White+	White
010-169	Warm White (90) &	White
	Warm White Twinkle (10)	
010-152	Blue	Black
010-154	Red	Black
010-166	White & Blue	White
010-167	White & Blue	Black
010-165	Warm White (90) &	Black
	Warm White Twinkle (10)	
010-154 010-166 010-167	Blue Red White & Blue White & Blue Warm White (90) &	Black White Black

6,0 METER STRING (CONNECTABLE)

 Input:
 230V
 No. of strings:
 1

 LED Quantity:
 60 per string
 Power Cable:
 not included

 Length:
 6 meter
 Carton


 IP Rate:
 IP44
 Quantity:
 6

 Power:
 4,8 Watt

ORDERCODE:	LED COLOR:	WIRE COLOR:
010-211	White	Black
010-218	Warm White	Black
010-232	Warm White+	Black
010-212	Blue	Black
010-213	Green	Black
010-214	Red	Black
010-215	Yellow	Black
010-219	White & Blue	Black
010-221	White	White
010-228	Warm White	White
010-231	Warm White+	White
010-229	White & Blue	White
010-230	Warm White (54) &	White
	Warm White Twinkle (6)	

LED COLOR:

Non-connectable Cascade/Cord Light String – 3m




3,0 METER STRING (NOT CONNECTABLE)

White Input: 230V No. of strings: 1 010-118 Warm White Black **LED Quantity:** 30 per string Power Cable: not included Warm White+ Length: 3 meter Carton 010-121 White White **IP Rate:** IP44 White (27) & White Quantity: 6 010-123 White Twinkle (3) Power: 2,4 Watt 010-128 White Warm White 010-124 Warm White+ White 010-129 Warm White (27) & White Warm White Twinkle (3)

ORDERCODE:

Non-connectable Cascade Light Strings – in 1,5m and 0,8m

ORDERCODE:	DESCRIPTION	LENGTH	LED QTY	WATT	IP
010-175	0,8m Cascade (end) String 230V, Warm White, White wire	4 strings à 0,8m	8 per string	2,4W	IP44
010-176	0,8m Cascade (end) String 230V, Warm White, Black wire	4 strings à 0,8m	8 per string	2,4W	IP44
010-172	1,5m Cascade (end) String 230V, Warm White, Black wire	2 strings à 1,5m	15 per string	2,4W	IP44
010-171	1,5m Cascade (end) String 230V, Warm White, White wire	2 strings à 1,5m	15 per string	2,4W	IP44



WIRE COLOR:


One plug for power, other plug for hang up only (no contact/ power)

Snowfall Strings and Waterfall Strings



Non-Connectable

Snowfall in 0,6m, 0,9m and 1,2m Waterfall in 3m and 5m



SNOWFALL STRING (NOT CONNECTABLE)

Input: 230V No. of strings: 2

LED Color: White Power Cable: not included

Wire Color: White Carton **IP Rate:** IP44 Quantity:

ORDERCODE:	LENGTH:	LED QTY:	POWER:
010-180	60cm	60	3,9 Watt
010-181	90cm	90	5,8 Watt
010-182	120cm	120	9,6 Watt

WATERFALL STRING (NOT CONNECTABLE)

60 100 Input: 230V **Power Cable:** not included 010-191


LED Color: White Carton Wire Color: Transparent Quantity:

IP Rate:

POWER: NO. STRINGS: 3,9 Watt 7,7 Watt

Peak Light

Connectable Strings 2m x 0,4m and 2m x 0,8m



Total 20 Strings - 76 LED


PEAK LIGHT 2 METER X 0,4 METER (CONNECTABLE)

6 Watt

Power:

230V No. of strings: 20 Input: **LED Quantity:** 76 per set **Power Cable:** not included Length: 2 m x 0,4 m Carton **IP Rate:** IP44 Quantity:

ORDERCODE:	LED COLOR:	WIRE COLOR:
006-008	Warm White	Black
006-020	Warm White+	Black
006-018	Warm White	White
006-019	Warm White+	White
006-140	White	White
006-028	White (72) + White Twinkle (4)	White
006-112	White & Blue	White



Total 20 Strings - 152 LED

PEAK LIGHT 2 METER X 0,8 METER (CONNECTABLE)

Input: 230V No. of strings: 20 **LED Quantity:** 152 per set Power Cable: not included Length: 2 m x 0,8 m Carton IP Rate: IP44 **Quantity:** Power: 12 Watt

ORDERCODE:	LED COLOR:	WIRE COLOR:
006-048	Warm White	Black
006-052	Warm White+	Black
006-058	Warm White	White
006-051	Warm White+	White
006-041	White & Blue	White
006-132	White (144) + White Twinkle (8)	White

Accessories

POWER CABLES

 Input:
 230V

 Length:
 1,5 meter

 IP Rate:
 IP44

 Carton
 5



ORDERCODE:	DESCRIPTION:	WIRE COLOR:
010-012	EU PLUG 2 AMPERE (6.000 LED)	White
010-013	EU PLUG 2 AMPERE (6.000 LED)	Black
010-020	EU PLUG 5 AMPERE (15.000 LED)	White
010-019	EU PLUG 5 AMPERE (15.000 LED)	Black

EXTENSION CABLES

IP Rate: IP44 Carton Quantity: 5



ORDERCODE:	LENGTH	WIRE COLOR
010-200	0,5 Meter	White
010-201	0,5 Meter	Black
010-202	1 Meter	White
010-203	1 Meter	Black
010-204	2 Meter	White
010-205	2 Meter	Black
010-206	3 Meter	White
010-207	3 Meter	Black
010-208	5 Meter	White
010-209	5 Meter	Black

CONNECTORS

IP Rate: IP44



ORDERCODE:	DESCRIPTION	COLOR	CARTON QTY
010-022	T connector 25cm	White	5
010-023	T connector 25cm	Black	5
010-005	T connector 2pcs retail pack	White	1
010-004	T connector 2pcs retail pack	Black	1
010-007	5 way connector string 1 meter	White	5
010-006	5 way connector string 1 meter	Black	5
010-188	Ring Connector 5 way	White	5
010-189	Ring Connector 5 way	Black	5

CASCADE MAIN CABLES

IP Rate: IP44


ORDERCODE:	DESCRIPTION	COLOR	CARTON QTY
010-115	Main Cable 5 meter with 5 sockets	Black	5
010-113	Main Cable 60cm with 6 sockets	White	5
010-114	Main Cable 60cm with 6 sockets	Black	5
010-105	Main Cable 120cm with 12 sockets	White	4
010-106	Main Cable 120cm with 12 sockets	Black	4
010-107	Main Cable 240cm with 24 sockets	White	2
010-108	Main Cable 240cm with 24 sockets	Black	2
010-188	Ring Connector 5 way	White	5
010-189	Ring Connector 5 way	Black	5




SPECIAL ACCESSORIES

Input: 230V

ORDERCODE:	DESCRIPTION	COLOR	CARTON QTY
010-197	Ropelight Convertor - to connect 13mm rope-	Black	5
010-109	light, 15cm lenght, including shrinking tube. Cone Light CON string with 10 connector strings, each string 30cm lenght,	Black	5



Ropelight convertor connector












CORD LIGHT PROFESSIONAL

4 types of LED Cord Light Professional:



1. CORD LIGHT REGULAR

Cord Light Regular with 30mm side branche is available in 12 & 24 Volt. The long length makes it perfect for decorating bigger trees. Available for indoor and outdoor use.



2. CORD LIGHT IN-LINE

Cord Light in-line with 5mm LED is available in 12 & 24 Volt. The in-line LED's are perfect to follow branches. Available for indoor and outdoor use.



in-line

3. GARLAND CORD LIGHT

Garland Cord Light with 70mm side branche is available for in- and outdoor applications. The extensive length and long side branches are ideal for decorating (bigger) garlandes. Available for indoor and outdoor use.



4. CLIP LIGHT

Clip Light is perfect for decorating larger trees by following the branches.



*LED Clip Light 24V can be cut every 6 LED.



Note:

Never wind the wire in this way around the branch, the branch will grow and break the wire. Better lead the wire in line with the branch and use a rubber tie tube to keep the wire in place. Never use tie-wrap, as this will kill the tree.






Cord Light Professional Regular



30mm branches



12V CORD LIGHT 30 METER WITH 300 WARM WHITE LEDS - INDOOR USE

LEDs on 30mm side branch - indoor use Green Wire


Ordercode: 020-008 Input: 12 Volt Power: 18 Watt

LED/Bulb Color: Warm White **LED/Bulb Quantity:** 300

LED Distance: 10CM Cutting Distance: 30CM Max. Meters to connect in one line: 30 Meter Wire Color: Green

IP Rate: IP20 Carton Quantity: 5

30mm branches



12V CORD LIGHT 30 METER WITH 300 WARM WHITE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use *Green Wire*


Ordercode: 025-048 Input: 12 Volt Power: 18 Watt

LED/Bulb Color: Warm White **LED/Bulb Quantity:** 300

LED Distance: 10CM Cutting Distance: 30CM Max. Meters to connect in one line: 30 Meter Wire Color: Green IP Rate: IP44

Carton Quantity: 5

30mm branches




12V CORD LIGHT 30 METER WITH 300 RED LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use *Green Wire*

Ordercode: 025-004 Input: 12 Volt Power: 18 Watt LED/Bulb Color: Red LED/Bulb Quantity: 300 LED Distance: 10CM Cutting Distance: 30CM Max. Meters to connect in one line: 30 Meter Wire Color: Green

IP Rate: IP44 Carton Quantity: 5

30mm branches




24V CORD LIGHT 63 METER WITH 420 WHITE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use *Green Wire*

Ordercode: 025-021 Input: 24 Volt Power: 25 Watt LED/Bulb Color: White LED/Bulb Quantity: 420 LED Distance: 15CM Cutting Distance: 90CM Max. Meters to connect in one line: 63 Meter Wire Color: Green

IP Rate: IP44 Carton Quantity: 5

30mm branches



24V CORD LIGHT 63 METER WITH 420 WARM WHITE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use Green Wire

Ordercode: 025-018 Input: 24 Volt Power: 25 Watt

LED/Bulb Color: Warm White **LED/Bulb Quantity:** 420


LED Distance: 15CM Cutting Distance: 90CM Max. Meters to connect in one line: 63 Meter

Wire Color: Green IP Rate: IP44 Carton Quantity: 5

Cord Light Professional Regular

24V CORD LIGHT 63 METER IS POPULAR FOR LARGE TREE DECORATION





24V CORD LIGHT 63 METER WITH 420 WARM WHITE+ LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use Green Wire

Ordercode: 025-019 Input: 24 Volt Power: 25 Watt


LED/Bulb Color: Warm White+

LED/Bulb Quantity: 420

LED Distance: 15CM Cutting Distance: 90CM Max. Meters to

connect in one line: 63 Meter Wire Color: Green IP Rate: IP44 **Carton Quantity:** 5

30mm branches



24V CORD LIGHT 63 METER WITH 420 WHITE & BLUE LEDS - OUTDOOR USE

LEDs on 30mm side branch - outdoor use Green Wire

Ordercode: 025-112 Input: 24 Volt Power: 25 Watt

LED/Bulb Color: White and


Blue

LED/Bulb Quantity: 420

LED Distance: 15CM Cutting Distance: 90CM Max. Meters to connect in one line: 63 Meter Wire Color: Green

IP Rate: IP44 Carton Quantity: 5

30mm branches



24V CORD LIGHT 63 METER WITH 348 WARM WHITE AND 62 TWINKLE WW LEDS - OUTDOOR

LEDs on 30mm side branch - outdoor use Green Wire

Ordercode: 025-068 Input: 24 Volt Power: 25 Watt

LED/Bulb Color: Warm White LED/Bulb Quantity: 420


LED Distance: 15CM **Cutting Distance: 90CM** Max. Meters to connect in one line: 63 Meter Wire Color: Green IP Rate: IP44 Carton Quantity: 5



Cord Light Professional In-Line



In line



12V CORD LIGHT 30 METER WITH 600 WHITE LED - INDOOR USE


LEDs placed in line - indoor use

Transparant Wire

Ordercode: 020-011 Input: 12 Volt Power: 36 Watt LED/Bulb Color: White LED/Bulb Quantity: 600 LED Distance: 5CM Cutting Distance: 15CM Max. Meters to connect in one line: 30 Meter Wire Color: Green

IP Rate: IP20 Carton Quantity: 5

In line




12V CORD LIGHT 30 METER WITH 600 BLUE LED - INDOOR USE

LEDs placed in line - indoor use <u>Transparant Wire</u>

Ordercode: 020-012 Input: 12 Volt Power: 36 Watt LED/Bulb Color: Blue LED/Bulb Quantity: 600 LED Distance: 5CM
Cutting Distance: 15CM
Max. Meters to connect in one line: 30 Meter
Wire Color: Green

IP Rate: IP20 Carton Quantity: 5

In line




12V CORD LIGHT 60 METER WITH 600 WHITE LEDS - INDOOR USE

LEDs placed in line - indoor use <u>Transparant Wire</u>

Ordercode: 020-001 Input: 12 Volt Power: 36 Watt LED/Bulb Color: White LED/Bulb Quantity: 600 LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

In line



12V CORD LIGHT 60 METER WITH 600 BLUE LEDS - INDOOR USE

LEDs placed in line - indoor use <u>Transparant Wire</u>


Ordercode: 020-002 Input: 12 Volt Power: 36 Watt LED/Bulb Color: Blue LED/Bulb Quantity: 600 LED Distance: 10CM
Cutting Distance: 30CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5



TREE DECORATED WITH CORD LIGHT PROFESSIONAL IN-LINE OUTDOOR (SEE NEXT PAGE). PERFECT TO FOLLOW BRANCHES.

Cord Light Professional In-Line





24V CORD LIGHT 63 METER WITH 420 WHITE LEDS - OUTDOOR USE

LEDs placed in line - outdoor use Green Wire

Ordercode: 025-011 Input: 24 Volt Power: 25 Watt LED/Bulb Color: White LED/Bulb Quantity: 420 LED Distance: 15CM Cutting Distance: 90CM Max. Meters to connect in one line: 63 Meter Wire Color: Green IP Rate: IP44

Carton Quantity: 5


In line 24V 15cm 63m Datell worm white (ED)

24V CORD LIGHT 63 METER WITH 420 WARM WHITE LEDS - OUTDOOR USE

LEDs placed in line - outdoor use Green Wire

Ordercode: 025-008 Input: 24 Volt Power: 25 Watt LED/Bulb Color: Warm White LED/Bulb Quantity: 420 LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5


Cord Light Professional Garland Indoor



24V CORD LIGHT 60 METER WITH 600 WHITE LEDS - INDOOR USE

LEDs on 70mm side branch - indoor use Green Wire

Ordercode: 026-011 Input: 24 Volt Power: 36 Watt LED/Bulb Color: White LED/Bulb Quantity: 600 LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5




24V CORD LIGHT 60 METER WITH 600 BLUE LEDS - INDOOR USE

LEDs on 70mm side branch - indoor use *Green Wire*

Ordercode: 026-012 Input: 24 Volt Power: 36 Watt LED/Bulb Color: Blue LED/Bulb Quantity: 600 LED Distance: 10CM Cutting Distance: 60CM Max. Meters to connect in one line: 60 Meter Wire Color: Green IP Rate: IP20

IP Rate: IP20 Carton Quantity: 5




24V CORD LIGHT 60 METER WITH 600 AMBER LEDS - INDOOR USE

LEDs on 70mm side branch - indoor use Green Wire

Ordercode: 026-016 Input: 24 Volt Power: 36 Watt LED/Bulb Color: Amber LED/Bulb Quantity: 600 LED Distance: 10CM
Cutting Distance: 60CM
Max. Meters to connect in one line: 60 Meter
Wire Color: Green
IP Rate: IP20
Carton Quantity: 5

Cord Light Professional Garland Outdoor






24V CORD LIGHT 60 METER WITH 600 WHITE LEDS - OUTDOOR USE

LEDs on 70mm side branch - outdoor use *Green Wire*

Ordercode: 026-001 Input: 24 Volt Power: 36 Watt LED/Bulb Color: White LED/Bulb Quantity: 600 LED Distance: 10CM Cutting Distance: 60CM Max. Meters to connect in one line: 60 Meter Wire Color: Green IP Rate: IP44

Carton Quantity: 5




24V CORD LIGHT 60 METER WITH 600 BLUE LEDS - OUTDOOR USE

LEDs on 70mm side branch - outdoor use *Green Wire*

Ordercode: 026-002 Input: 24 Volt Power: 36 Watt LED/Bulb Color: Blue LED/Bulb Quantity: 600 LED Distance: 10CM Cutting Distance: 60CM Max. Meters to connect in one line: 60 Meter Wire Color: Green IP Rate: IP44


Carton Quantity: 5



24V CORD LIGHT 60 METER WITH 600 AMBER LEDS - OUTDOOR USE

LEDs on 70mm side branch - outdoor use *Green Wire*

Ordercode: 026-006 Input: 24 Volt Power: 36 Watt LED/Bulb Color: Amber LED/Bulb Quantity: 600 LED Distance: 10CM Cutting Distance: 60CM Max. Meters to connect in one line: 60 Meter Wire Color: Green IP Rate: IP44 Carton Quantity: 5



24V LED CLIP LIGHT 63 METER WITH 420 WARM WHITE LEDS - OUTDOOR USE

Based on Clip Light - outdoor use *Green Wire*

Ordercode: 025-108 Input: 24 Volt Power: 25 Watt LED/Bulb Color: Warm White LED/Bulb Quantity: 420 LED Distance: 15CM
Cutting Distance: 90CM
Max. Meters to connect in one line: 63 Meter
Wire Color: Green
IP Rate: IP44
Carton Quantity: 5



DIVIDER 2 WAY, 1 MALE TO 2 FEMALE

5 pieces in bag, price pro 5 pieces

Ordercode: 535-005 IP Rate: IP44

Carton Quantity: 1



DIVIDER 5 WAY, 1 MALE TO 5 FEMALE

2 pieces in bag, price pro 2 pieces

Ordercode: 535-020 IP Rate: IP44

Carton Quantity: 1



EXTENSION CABLE 4 METER, BETWEEN POWER SUPPLY AND DIVIDER

2 pieces in bag, price pro 2 pieces

Ordercode: 535-025 IP Rate: IP44

Carton Quantity: 1



MALE CONNECTOR 4MM RED

100 pieces in a bag, price pro 100 pieces

Ordercode: 535-030 IP Rate: IP44

Carton Quantity: 1



MALE CONNECTOR 4MM BLACK

100 pieces in a bag, price pro 100 pieces

Ordercode: 535-031 **IP Rate:** IP44

Carton Quantity: 1



AMP CONNECTOR 2.3MM

to fix max. 4 cordlight together 100 pieces in a bag, price pro 100 pieces

Ordercode: 535-050 IP Rate: IP44

Carton Quantity: 1



AMP CONNECTOR 4.2MM

to fix max. 8 cordlight together 25 pieces in a bag, price pro 25 pieces

Ordercode: 535-051 IP Rate: IP44

Carton Quantity: 1



ELASTIC TIE TUBE 50 METER TO PROTECT THE TREE BRANCHES

Ordercode: 535-090 IP Rate: IP44

Carton Quantity: 1



POWER SUPPLY 12V DC - 30W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-310 Height: 27mm Input: 230V Wire Length in: 110cm Power: 30 Watt Wire Length out: 20cm Lenght: 102mm Connection Type: DC Screw Width: 50mm IP Rate: IP67

Carton Quantity: 10



POWER SUPPLY 12V DC - 60W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-311 Height: 55mm Input: 230V Wire Length in: 110cm Power: 60 Watt Wire Length out: 20cm Lenght: 175mm Width: 66mm

Connection Type: DC Screw IP Rate: IP67 **Carton Quantity:** 10



POWER SUPPLY 12V DC - 100W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-312 Input: 230V Power: 100 Watt Lenght: 240mm Width: 66mm Height: 55mm Wire Length in: 110cm Wire Length out: 20cm Connection Type: DC Screw

IP Rate: IP67
Carton Quantity: 10



POWER SUPPLY 12V DC - 200W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-314 Input: 230V Power: 200 Watt Lenght: 230mm Width: 130mm Height: 60mm Wire Length in: 110cm Wire Length out: 20cm Connection Type: 2 x DC Screw

and 2 x AMP
IP Rate: IP67
Carton Quantity: 5



POWER SUPPLY 24V DC - 30W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-300 Input: 230V Power: 30 Watt Lenght: 102mm Width: 50mm Height: 27mm Wire Length in: 110cm Wire Length out: 20cm Connection Type: DC Screw

IP Rate: IP67 Carton Quantity: 10



POWER SUPPLY 24V DC - 60W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-301 Input: 230V Power: 60 Watt Lenght: 175mm Width: 66mm Height: 55mm Wire Length in: 110cm Wire Length out: 20cm Connection Type: DC Screw

IP Rate: IP67 Carton Quantity: 10



POWER SUPPLY 24V DC - 100W

Block Type - Outdoor - Schuko grounded

Ordercode: 215-302 Input: 230V Power: 100 Watt Lenght: 240mm Width: 66mm Height: 55mm Wire Length in: 110cm Wire Length out: 20cm Connection Type: DC Screw

and AMP
IP Rate: IP67
Carton Quantity: 10



POWER SUPPLY 24V DC - 200W

Block Type - Outdoor - Schuko grounded


Ordercode: 215-304 Input: 230V Power: 200 Watt Lenght: 230mm Width: 130mm Height: 60mm Wire Length in: 110cm Wire Length out: 20cm Connection Type: 2 x DC Screw

and 2 x AMP
IP Rate: IP67
Carton Quantity: 5



Tree Light 24V & 230V





TREE LIGHT SET WITH 4 STRINGS OF 7.5 METER - EACH STRING 50 WARM WHITE LEDS

Green Rubber - Extension cable (5m) included For trees up to 4 Meter high

Ordercode: 024-018 Input: 24V (Transf. Included) Power: 15,4 Watt LED Color: Warm White LED Quantity: 200 LED in total LED Distance: 15CM Wire Color: Green IP Rate: IP44 Carton Quantity: 4



TREE LIGHT SET 10 METER WITH 25 CAPSULES OF 3 LED EACH

Black Rubber - Warm White LED Connectable up to 10 sets

Ordercode: 024-048
Input: 230V
Max. to connect: 20 Sets
Power: 9,2 Watt
LED Color: Warm White
LED Quantity: 25 Capsules with
LED Quantity: 4

LED Distance: 40CM
Max. to connect: 20 Sets
Wire Color: Black
IP Rate: IP44
Carton Quantity: 4

3 LED each



TREE LIGHT SET 10 METER WITH 50 CAPSULES OF 5 LED EACH

Black Rubber - Warm White LED Connectable up to 10 sets

Ordercode: 024-058 Input: 230V Power: 31 Watt LED Color: Warm White LED Quantity: 50 Capsules with 5 LED each LED Distance: 25CM Max. to connect: 10 Sets Wire Color: Black IP Rate: IP44 Carton Quantity: 4



TREE LIGHT SET 10 METER WITH 50 CAPSULES OF 5 LED EACH

Black Rubber - White LED Connectable up to 10 sets

Ordercode: 024-068 LED D
Input: 230V Max. t
Power: 31 Watt Wire C
LED Color: White IP Rat
LED Quantity: 50 Capsules with Carton

5 LED each

LED Distance: 25CM Max. to connect: 10 Sets Wire Color: Black IP Rate: IP44 Carton Quantity: 4



TREE LIGHT SET 63 METER ROLL WITH 420 WHITE LED (LP-420 SET)

Green Rubber - White LED All accesoires included


Ordercode: 024-001 Input: 24V (Transf. Included) Power: 25 Watt LED Color: White LED Quantity: 420 LED LED Distance: 15CM Max. to connect: 1 Set Wire Color: Green IP Rate: IP44 Carton Quantity: 1

Tree Light 24V & 230V









TREE LIGHT SET 63 METER ROLL WITH 420 WARM WHITE LED (LP-420 SET)

Green Rubber - Warm White LED All accesoires included

Ordercode: 024-002 Input: 24V (Transf. Included) Power: 25 Watt

Power: 25 Watt LED Color: Warm White LED Quantity: 420 LED **LED Distance:** 15CM **Max. Power to connect:** 1 Set

Wire Color: Green IP Rate: IP44 Carton Quantity: 1



TREE LIGHT SET 2 X 63 METER ROLL WITH 840 WHITE LED (LP-840 SET)

Green Rubber - White LED *All accesoires included*

Ordercode: 024-003 Input: 24V (Transf. Included) Power: 50 Watt LED Color: White LED Quantity: 840 LED LED Distance: 15CM
Max. Power to connect: 1 Set

Wire Color: Green IP Rate: IP44 Carton Quantity: 1



TREE LIGHT SET 2 X 63 METER ROLL WITH 840 WARM WHITE LED (LP-840 SET)

Green Rubber - Warm White LED All accesoires included

Ordercode: 024-004 Input: 24V (Transf. Included) Power: 50 Watt LED Color: Warm White LED Quantity: 840 LED LED Distance: 15CM
Max. Power to connect: 1 Set
Wire Color: Green
IP Rate: IP44
Carton Quantity: 1





PEAK LIGHT RETAIL SETS LED & TRADITIONAL




Peak Light offers endless decorating possibilities. It was developed and marketed by Tronix in 2000 and has proved to be a very successful product worldwide. Peak Light, now also commonly known as icicle light, is available in different models, such as with pvc and rubber cable, for indoor and outdoor use and comes in different colors. The different sets can be interconnected, so the possibilities are numerous.



Connectable Schuko EU power cable included with each set.


Available in 3 sizes:



ACCESSORIES

See chapter Modular Lighting Connection System on P19 for all available Peak Light accessories.






Total 20 Strings - 76 LED

2M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

 Input: 230V
 LED Quantity: 76
 Max. sets to connect: 30
 IP Rate: IP44

 Power: 6 Watt
 No. of strings: 20
 Power Cable: 1,80M (included)
 Carton Quantity: 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
005-008	Warm White	Black
005-018	Warm White	White
005-112	White & Blue	White




Total 40 Strings - 152 LED

4M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230VLED Quantity: 152Max. sets to connect: 20IP Rate: IP44Power: 12 WattNo. of strings: 40Power Cable: 1,80M (included)Carton Quantity: 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
005-048	Warm White	Black
005-058	Warm White	White
005-049	Warm White+	Black
005-059	Warm White+	White





Total 20 Strings - 152 LED


2M X 80CM **OUTDOOR** GENERAL SPECIFICATIONS

 Input: 230V
 LED Quantity: 152
 Max. sets to connect: 20
 IP Rate: IP44

 Power: 12 Watt
 No. of strings: 20
 Power Cable: 1,80M (included)
 Carton Quantity: 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
005-028	Warm White	Black
005-038	Warm White	White
005-122	White & Blue	White

Peak Light Indoor




Total 20 Strings - 112 LED

2M X 80CM **INDOOR** GENERAL SPECIFICATIONS

Input: 230VLED Quantity: 112Max. sets to connect: 30IP Rate: IP44Power: 12 WattNo. of strings: 20Power Cable: 1,80M (included)Carton Quantity: 6

ORDERCODE:	LED COLOR:	WIRE COLOR:
005-068	Warm White	White

Peak Light Conventional




4M X 40CM **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V Bulb Quantity: 152 Max. sets to connect: 10 IP Rate: IP44

Power: 68 Watt No. of strings: 40 Power Cable: 1,80M (included) Carton Quantity: 6

ORDERCODE:	BULB COLOR:	WIRE COLOR:
400-021	Clear	Black





CORD LIGHT RETAIL SETS






(LED) Cord Light in retail box.

Connectable (Schuko EU power cable included with each set). Different sizes for indoor and outdoor available.

ACCESSORIES

See chapter Modular Lighting Connection System on P19 for all available Cord Light accessories.





Total 60 LED

6M **INDOOR** GENERAL SPECIFICATIONS


 Input: 230V
 LED Quantity: 60
 Max. sets to connect: 20
 IP Rate: IP20

 Power: 5,3 Watt
 LED Spacing: 10cm
 Power Cable: 1,50M (included)
 Carton Quantity: 10

ORDERCODE:	LED COLOR:	WIRE COLOR:
015-008	Warm White	Green
015-058	Warm White	White
015-001	White	White
015-002	Blue	Green
015-003	Green	Green
015-004	Red	Green
015-005	Yellow	Green








Total 60 LED

6M **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230V LED Quantity: 60 Max. sets to connect: 20 IP Rate: IP44

Power: 5,3 Watt LED Spacing: 10cm Power Cable: 1,50M (included) Carton Quantity: 10

ORDERCODE:	LED COLOR:	WIRE COLOR:
015-018	Warm White	Green
015-011	White	Green
015-012	Blue	Green
015-013	Green	Green
015-014	Red	Green



Total 100 LED

10M **OUTDOOR** GENERAL SPECIFICATIONS

Input: 230VLED Quantity: 100Max. sets to connect: 10IP Rate: IP44Power: 8 WattLED Spacing: 10cmPower Cable: 1,50M (included)Carton Quantity: 10

ORDERCODE:	LED COLOR:	WIRE COLOR:
015-021	White	Green
015-028	Warm White	Green
015-023	Warm White +	Green
015-029	White & Blue	White
015-039	White & Blue	Green
015-024	Red	Green




LED CORD LIGHT MODULAR LOW VOLTAGE CORD LIGHT SET



FOR OUTDOOR USE

- Easy to use, plug & play system
- Very safe, low voltage 24V









Cord Light Modular 24V Modular





CORDLIGHT 6 METER WITH WARM WHITE LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-008 LED Quantity: 60 Input: 24 Volt LED Space: 10CM Power: 4,8 Watt IP Rate: IP44 Carton Quantity: 20



CORDLIGHT 6 METER WITH BLUE LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-002 LED Quantity: 60
Input: 24 Volt LED Space: 10CM
Power: 4,8 Watt IP Rate: IP44
Carton Quantity: 20



CORDLIGHT 6 METER WITH GREEN LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-003 LED Quantity: 60
Input: 24 Volt LED Space: 10CM
Power: 4,8 Watt IP Rate: IP44
Carton Quantity: 20



CORDLIGHT 6 METER WITH RED LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-004 LED Quantity: 60 Input: 24 Volt LED Space: 10CM Power: 3 Watt IP Rate: IP44 Carton Quantity: 20



CORDLIGHT 6 METER WITH AMBER LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-005 LED Quantity: 60 Input: 24 Volt LED Space: 10CM Power: 3 Watt IP Rate: IP44 Carton Quantity: 20

Cord Light Modular 24V Modular





CORDLIGHT 10 METER WITH WARM WHITE LED - GREEN WIRE

with male and female connector - connectable

Ordercode: 016-018 LED Quantity: 100 Input: 24 Volt LED Space: 10CM Power: 8 Watt IP Rate: IP44 Carton Quantity: 20



EXTENSION CABLE 5 METER

with male and female connector - connectable

Ordercode: 016-050 IP Rate: IP44
Carton Quantity: 50



2 & 4 WAY DIVIDER

with male and female connector - connectable

2-way: IP Rate: IP44
Ordercode: 016-056 Carton Quantity: 50

4-way:

Ordercode: 016-057



CONE LIGHT CONNECTOR

10 connector strings, each string 30cm lenght

Ordercode: 016-058 IP Rate: IP44

Carton Quantity: 20



POWER SUPPLY 24V


Block Type - Outdoor - Schuko grounded

ORDERCODE:	VOLTAGE:	POWER:
215-300	24V	30W
215-301	24V	60W
215-302	24V	100W

Cascade Light







LED CASCADE LIGHT 2,6 X 1,5 METER WARM WHITE LED - BLACK WIRE


Connectable for outdoor use

Ordercode: 010-008 Input: 230V Power: 40 Watt No. of strings: 26 **Bulbs p/string:** 19

LED Quantity: 494 Max. sets to connect: 10 Wire Color: Black Power Cable: 1,80M (included)

IP Rate: IP44 Carton Quantity: 3





LED CASCADE LIGHT 2,6 X 1,5 METER WARM WHITE+ LED - BLACK WIRE


Connectable for outdoor use

Ordercode: 010-009 Input: 230V Power: 40 Watt No. of strings: 26 **Bulbs p/string:** 19

LED Quantity: 494 Max. sets to connect: 10 Wire Color: Black Power Cable: 1,80M (included)

IP Rate: IP44 Carton Quantity: 3





LED CASCADE LIGHT 2,6 X 1,5 METER WARM WHITE LED - WHITE WIRE

Connectable for outdoor use

Ordercode: 010-018 Input: 230V Power: 40 Watt No. of strings: 26


Bulbs p/string: 19

Max. sets to connect: 10 Wire Color: White Power Cable: 1,80M (included)

LED Quantity: 494

IP Rate: IP44 Carton Quantity: 3





LED CASCADE LIGHT 2,6 X 1,5 METER WHITE & **BLUE LED - WHITE WIRE**

Connectable for outdoor use

Ordercode: 010-112 Input: 230V Power: 40 Watt No. of strings: 26

Bulbs p/string: 19

LED Quantity: 494 Max. sets to connect: 10 Wire Color: White


Power Cable: 1,80M (included)

IP Rate: IP44 **Carton Quantity:** 3



Web Light





LED WEB LIGHT 200 X 150CM WITH WARM WHITE LED AND GREEN PVC WIRE

Connectable for in-/outdoor use


Ordercode: 033-008

Input: 24V

(transformer included) **Power:** 17 Watt **LED Quantity:** 156

Max. sets to connect: 8 Power Cable: 1,80 Meter

(included)
IP Rate: IP44
Carton Quantity: 8




LED WEB LIGHT 219 X 60CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable for in-/outdoor use

Ordercode: 033-018 Input: 230V Power: 18 Watt LED Quantity: 176 Max. sets to connect: 20 Power Cable: 1,80 Meter

(included)
IP Rate: IP44
Carton Quantity: 4




LED WEB LIGHT 250 X 120CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable for in-/outdoor use

Ordercode: 033-028 Input: 230V Power: 40 Watt LED Quantity: 406 Max. sets to connect: 12 Power Cable: 1,80 Meter

(included)
IP Rate: IP44
Carton Quantity: 4




LED WEB LIGHT 400 X 200CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable for in-/outdoor use

Ordercode: 033-038 Input: 230V Power: 65 Watt LED Quantity: 648 Max. sets to connect: 8 Power Cable: 1,80 Meter

(included)
IP Rate: IP44
Carton Quantity: 2






LED WEB LIGHT 300 X 300CM WITH WARM WHITE LED AND BLACK RUBBER WIRE

Connectable for in-/outdoor use

Ordercode: 033-048 Input: 230V Power: 75 Watt LED Quantity: 750 Max. sets to connect: 6 Power Cable: 1,80 Meter

(included)
IP Rate: IP44
Carton Quantity: 1

Web Light Conventional



WEB LIGHT 35 X 270 X 180CM WITH CLEAR BULBS AND CONTROLLER WITH 8 PROG.


Connectable for indoor use

Ordercode: 420-031 Input: 230V Power: 181 Watt Bulb Quantity: 288 Power Cable: 1,80 Meter (included) IP Rate: IP20 Carton Quantity: 1



Round Net Light






ROUND NET LIGHT Ø40~50CM - 24V

for buxus of Ø40~50cm *24V Adaptor included*

Ordercode: 017-001 Input: 24V (adaptor included) Power: 4,8 Watt LED Color: Warm White LED Quantity: 48
Power Cable / Adapter:
Included
IP Rate: IP44
Carton Quantity: 10




ROUND NET LIGHT Ø60~75CM - 24V

for buxus of Ø60~75cm 24V Adaptor included

Ordercode: 017-003 **Input:** 24V (adaptor included)


Power: 4,8 Watt LED Color: Warm White LED Quantity: 48
Power Cable / Adapter:
Included

IP Rate: IP44 Carton Quantity: 10



Snow Bar Light





SNOWBAR SET 5 X 50CM TUBE


50 SMD LED pro tube - fixed program *Adaptor included*

Ordercode: 019-002 Input: 230V (adaptor included) Power: 10,5 Watt LED Quantity: 50 p/tube


LED Color: White

No. of Tubes: 5 Power Cable: 5 meter IP Rate: IP44 Carton Quantity: 4

It is possible to connect several Snow Bar or Cluster sets, but you then need a bigger 12V power supply.







SMALL COMET 85 X 45CM WITH WARM WHITE LED

Steel frame

Ordercode: 570-010 Input: 230V

Color: Warm White LED Dimension: 85 x 45cm

Power Cable: 1,50 Meter

(included)
IP Rate: IP44
Carton Quantity: 5



5 POINT STAR 53CM WITH WHITE LED

Steel frame

Ordercode: 570-011 Input: 230V Color: White LED Dimension: 53cm Power Cable: 1,50 Meter

(included)
IP Rate: IP44
Carton Quantity: 5



5 POINT STAR 80CM WITH WHITE LED

Steel frame

Ordercode: 570-016 Input: 230V Color: White LED Dimension: 80cm Power Cable: 1,50 Meter

(included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 37CM WITH WHITE LED

Steel frame

Ordercode: 570-021 Input: 230V Color: White LED **Dimension:** 37cm **Power Cable:** 1,50 Meter

(included)
IP Rate: IP44
Carton Quantity: 5



SNOWFLAKE 53CM WITH WHITE LED

Steel frame

Ordercode: 570-026 Input: 230V Color: White LED Dimension: 53cm Power Cable: 1,50 Meter

(included)
IP Rate: IP44
Carton Quantity: 5





SNOWFLAKE 53CM WITH BLUE LED

Steel frame

Ordercode: 570-027 Input: 230V Color: Blue LED Dimension: 53cm Power Cable: 1,50 Meter (included) IP Rate: IP44 Carton Quantity: 5



SNOWFLAKE 66CM WITH WHITE LED

Steel frame

Ordercode: 570-031 Input: 230V Color: White LED Dimension: 66cm Power Cable: 1,50 Meter (included) IP Rate: IP44 Carton Quantity: 5



Professional Motifs With Aluminium Frame





BIG COMET 140 X 105CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-006 Input: 230V

Color: Warm White LED **Dimension:** 140 x 105cm

Power Cable: 1,50 Meter

(included)
IP Rate: IP44
Carton Quantity: 5



5 POINT STAR 80CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-011 Input: 230V

Color: Warm White LED Dimension: 80cm

Power Cable: 1,50 Meter

(included)
IP Rate: IP44
Carton Quantity: 5



8 POINT STAR 80CM WITH WARM WHITE LED

Aluminium frame

Ordercode: 580-016 Input: 230V

Color: Warm White LED **Dimension:** 80cm

Power Cable: 1,50 Meter (included)


IP Rate: IP44 Carton Quantity: 5





LED CHASY LIGHT OFFERS THE FOLLOWING PROGRAMS:

Combination
 Chasing/Flash
 In Waves
 Slow fade
 Sequential
 Twinkle/Flash
 Slow Glow
 Steady On




LED CHASY LIGHT 5 METER WHITE TRANSPARANT WIRE

For indoor use

Ordercode: 030-001 **Input:** 24V (adaptor included)

Power: 9,6 Watt LED Quantity: 120 No. of programs: 8
Power Cable / Adaptor:

Included IP Rate: IP44 Carton Quantity: 10




LED CHASY LIGHT 5 METER BLUE TRANSPARANT WIRE

For indoor use

Ordercode: 030-002 Input: 24V (adaptor included)

Power: 9,6 Watt LED Quantity: 120 No. of programs: 8
Power Cable / Adaptor:
Included

IP Rate: IP44
Carton Quantity: 10




LED CHASY LIGHT 5 METER GREEN TRANSPARANT WIRE

For indoor use

Ordercode: 030-003 Input: 24V (adaptor included)

Power: 9,6 Watt LED Quantity: 120 No. of programs: 8 Power Cable / Adaptor:

Included
IP Rate: IP44
Carton Quantity: 10



LED CHASY LIGHT 5 METER RED TRANSPARANT WIRE


For indoor use

Ordercode: 030-004 Input: 24V (adaptor included) Power: 4,8 Watt LED Quantity: 120 No. of programs: 8 Power Cable / Adaptor: Included

Included
IP Rate: IP44
Carton Quantity: 10

Chasy Light






LED CHASY LIGHT 5 METER YELLOW TRANSPARANT WIRE

For indoor use

Ordercode: 030-005 Input: 24V (adaptor included)

Power: 4,8 Watt LED Quantity: 120 No. of programs: 8
Power Cable / Adaptor:

Included IP Rate: IP44 Carton Quantity: 10









LED CHASY LIGHT 10 METER WHITE BLACK WIRE

For outdoor use


Ordercode: 030-011 Input: 230V Power: 8,5 Watt LED Quantity: 100 No. of programs: 8
Power Cable / Adaptor:

Included
IP Rate: IP44
Carton Quantity: 10



Cluster Light






LED CLUSTER LIGHT CHAIN 1,5 METER - BLACK WIRE, WARM WHITE LED

Incl. 8 function controller with memory

for indoor/outdoor use


Ordercode: 019-100 LED Quantity: 192
Input: 24V (adaptor included) Power Cable: 5 Meter
Power: 5 Watt IP Rate: IP44
Color: Warm White Carton Quantity: 16



LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, WARM WHITE LED

No controller, steady string for indoor/outdoor use

Ordercode: 019-106 LED Quantity: 288
Input: 24V (adaptor included) Power Cable: 5 Meter
Power: 5 Watt IP Rate: IP44
Color: Warm White Carton Quantity: 16




LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, WARM WHITE LED

Incl. 8 function controller with memory

for indoor/outdoor use

Ordercode: 019-101 LED Quantity: 288
Input: 24V (adaptor included) Power Cable: 5 Meter
Power: 5 Watt IP Rate: IP44
Color: Warm White Carton Quantity: 16



LED CLUSTER LIGHT CHAIN 2,25 METER - BLACK WIRE, PINK LED

Incl. 8 function controller with memory

for indoor/outdoor use

Ordercode: 019-105 LED Quantity: 288 Input: 24V (adaptor included) Power Cable: 5 Meter IP Rate: IP44 Color: Pink Carton Quantity: 16



Basic Line Conventional



230 VOLT WITH REPLACEABLE PICELLO BULBS POPULAR INDOOR CHRISTMAS TREE DECORATION

TRADITIONAL LIGHT CHAIN 2,85 METER WITH 10 CLEAR BULBS

with green wire for indoor use

Ordercode: 750-001 Input: 230V Power: 11,5 Watt Color: Clear Bulb Quantity: 10 Bulb Space: 15cm Power Cable: 1,50 Meter

IP Rate: IP20 Carton Quantity: 100



TRADITIONAL LIGHT CHAIN 4,35 METER WITH 20 CLEAR BULBS

with green wire for indoor use

Ordercode: 750-003 Input: 230V Power: 20 Watt Color: Clear Bulb Quantity: 20 Bulb Space: 15cm Power Cable: 1,50 Meter IP Rate: IP20 Carton Quantity: 60



TRADITIONAL LIGHT CHAIN 8,85 METER WITH 50 CLEAR BULBS

with green wire for indoor use

Ordercode: 750-008 Input: 230V Power: 30 Watt Color: Clear Bulb Quantity: 50 Bulb Space: 15cm Power Cable: 1,50 Meter IP Rate: IP20 Carton Quantity: 40



TRADITIONAL LIGHT CHAIN 16,35 METER WITH 100 CLEAR BULBS

with green wire for indoor use

Ordercode: 750-011 Input: 230V Power: 32 Watt Color: Clear Bulb Quantity: 100 Bulb Space: 15cm Power Cable: 1,50 Meter

IP Rate: IP20 Carton Quantity: 20



TRADITIONAL LIGHT CHAIN 16,35 METER WITH 100 MULTI COLOR BULBS

with green wire for indoor use

Ordercode: 750-013 Input: 230V Power: 32 Watt Color: Clear Bulb Quantity: 100 Bulb Space: 15cm Power Cable: 1,50 Meter

Basic Line Conventional



TRADITIONAL LIGHT CHAIN 16,85 METER WITH 80 CLEAR BULBS AND 230V TO 24V ADAPTOR

with green wire for outdoor use

Ordercode: 753-002 Input: 24V (adaptor included) Power: 10,8 Watt Color: Clear Bulb Quantity: 80 Bulb Space: 15cm Power Cable: 5 Meter IP Rate: IP44 Carton Quantity: 12



TRADITIONAL LIGHT CHAIN 22,85 METER WITH 120 CLEAR BULBS AND 230V TO 24V ADAPTOR

with green wire for outdoor use

Ordercode: 753-003 Input: 24V (adaptor included) Power: 11,8 Watt Color: Clear Bulb Quantity: 120 Bulb Space: 15cm Power Cable: 5 Meter IP Rate: IP44 Carton Quantity: 12



CANDLE LIGHT CHAIN 7,2 METER WITH 20 CLEAR BULBS

with 20 clear bulbs for indoor use

Ordercode: 754-001 Input: 230V Power: 60 Watt Color: Clear Bulb Quantity: 20 Bulb Space: 30cm Power Cable: 1,50 Meter IP Rate: IP20 Carton Quantity: 12



CANDLE LIGHT CHAIN 5,3 METER WITH 20 CLEAR BULBS

with 20 clear bulbs for outdoor use

Ordercode: 754-002 Input: 230V Power: 60 Watt Color: Clear Bulb Quantity: 20 Bulb Space: 20cm Power Cable: 1,50 Meter IP Rate: IP44

Carton Quantity: 12



5 SPARE BULB FOR MINI LIGHT 10PCS

Ordercode: 765-007 Carton Quantity: 400

Basic Line Spare Bulbs



5 SPARE BULB FOR MINI LIGHT 20PCS

Ordercode: 765-006 Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 35PCS

Ordercode: 765-005 Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 50PCS

Ordercode: 765-004 Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 80PCS

Ordercode: 765-002 Carton Quantity: 400



5 SPARE BULB FOR MINI LIGHT 100PCS

Ordercode: 765-001 Carton Quantity: 400

Basic Line Spare Bulbs



5 SPARE BULB FOR WEB LIGHT 160PCS

Ordercode: 765-003 Carton Quantity: 400




3 SPARE BULB FOR CANDLE LIGHT 20PCS IND-OOR

Ordercode: 765-008 Carton Quantity: 400



3 SPARE BULB FOR CANDLE LIGHT 20PCS OUTDOOR

Ordercode: 765-011 Carton Quantity: 400



LED CORD LIGHT 15 METER WARM WHITE-GREEN WIRE

Connectable for indoor use

Ordercode: 015-048 LED s
Input: 230V Max.
Power: 15 Watt Powe
LED Quantity: 150 IP Ra

LED spacing: 10cm **Max. sets to connect:** n.a. **Power Cable:** 1,5M (included)

IP Rate: IP44 Carton Quantity: 10

LED CORD LIGHT 15 METER WARM WHITE IS A PERFECT SET FOR DECORATING A LARGE(R) CHRISTMAS TREE IN HOUSE WITH WARM WHITE LED. EXTRA SAFE WITH LOW VOLTAGE (24 VOLT TRANSFORMER INCLUDED).



As Tronix, we may say we are experts in the electronic candle light business. We have been at the very base of developing and producing these amazing products and have already sold millions of them. We basically sell two kinds: a small led candle with the size of a waxine light that operates over 12 hours after one night charging, and a large one operating for more than 24 hours after the same amount of charging time.

For home use, the small one is most popular, because this one fits in any regular or decorative glass also used for traditional waxine lights. Professional users like e.g. hotels and restaurants generally prefer the larger model.

The candles are also very suitable for children who can safely use them as a night light. The flickering of the candle light also helps them to fall asleep more easily.



CANDLE RETAIL SET WITH 6 SMALL CANDLES

pvc glass included (117*52*49mm) Charger base and adaptor included

Ordercode: 700-002 Flame color: Warm White Operation time: 12 hours Charging time: 10 hours IP rate: IP20 Carton Quantity: 1



CANDLE RETAIL SET WITH 6 SMALL CANDLES RED

pvc glasses included (117*52*49mm) Charger base and adaptor included

Ordercode: 700-032 Flame color: Red

Operation time: 12 hours Charging time: 10 hours IP rate: IP20 Carton Quantity: 1



CANDLE RETAIL SET WITH 12 SMALL CANDLES

real glass included (70*55*51mm) Charger base and adaptor included

Ordercode: 700-033

Flame color: Warm White

Operation time: 12 hours **Charging time:** 10 hours

IP rate: IP20 Carton Quantity: 1



CANDLE PROFI SET WITH 12 LARGE CANDLE

no glass included

Charger base and adaptor included

Ordercode: 700-003
Flame color: Warm White

Operation time: 24 hours Charging time: 10 hours





SMALL CANDLE 6PCS IN WHITE BOX

Ordercode: 700-009 Flame color: Warm White **Operation time:** 12 hours **Charging time:** 10 hours

IP rate: IP20 Carton Quantity: 1



SMALL CANDLE RED 6PCS IN WHITE BOX

Ordercode: 700-010 Flame color: Red

Operation time: 12 hours **Charging time:** 10 hours

IP rate: IP20 Carton Quantity: 1



LARGE CANDLE 6PCS IN WHITE BOX

Ordercode: 700-020
Flame color: Warm White

Operation time: 24 hours Charging time: 10 hours IP rate: IP20 Carton Quantity: 1



LARGE CANDLE BLUE 6PCS IN WHITE BOX

Ordercode: 700-021 Flame color: Blue

Operation time: 16 hours **Charging time:** 10 hours

IP rate: IP20 Carton Quantity: 1



LARGE CANDLE RED 6PCS IN WHITE BOX

Ordercode: 700-022 Flame color: Red

Operation time: 24 hours **Charging time:** 10 hours





CHARGER BASE FOR 6 SMALL CANDLE

Ordercode: 700-011

IP rate: IP20 Carton Quantity: 1



CHARGER BASE FOR 12 LARGE CANDLE

Ordercode: 700-012

IP rate: IP20 Carton Quantity: 1



ADAPTOR FOR CHARGER BASE 6

Ordercode: 700-013

IP rate: IP20 Carton Quantity: 1



ADAPTOR FOR CHARGER BASE 12

Ordercode: 700-031

IP rate: IP20 Carton Quantity: 1



REAL GLASS TEA LIGHT 6 PCS FROSTED

Size 70*55*51mm

Ordercode: 700-018





REAL GLASS 3 PCS FROSTED

Size 120*55*50 mm

Ordercode: 700-019

IP rate: IP20 Carton Quantity: 1



GLASS PVC 6 PCS MILKY WHITE

Size 117*52*49mm

Ordercode: 700-015

6

IP rate: IP20 Carton Quantity: 1



GLASS PVC 6 PCS ORANGE

Size 117*52*49mm

Ordercode: 700-017



Flower Lights





LED FLOWER LIGHT 10 STRINGS BLUE

for indoor use

Ordercode: 035-002 **Input:** Battery (3 x AA - not included)

Burning hours: 200 hours

Color: Blue

No. of Strings: 10 String Length: 50 cm IP Rate: IP20 Carton Quantity: 100



LED FLOWER LIGHT 10 STRINGS RED

for indoor use

Ordercode: 035-004 Input: Battery (2 x AA - not

included)

Burning hours: 200 hours

Color: Red

No. of Strings: 10 String Length: 51 cm IP Rate: IP20 Carton Quantity: 100

LED Flower Light

LED Flower Light

10 LED bulbs

bulbs

string lenght 50cm

LED FLOWER LIGHT 10 STRINGS YELLOW

for indoor use

Ordercode: 035-005 Input: Battery (2 x AA - not

included)

Burning hours: 200 hours

Color: Yellow

No. of Strings: 10 String Length: 52 cm IP Rate: IP20

Carton Quantity: 100



LED FLOWER LIGHT 20 STRINGS WARM WHITE

for indoor use

Ordercode: 035-008 Input: Battery (3 x AA - not

included)

Burning hours: 200 hours

Color: Warm White

No. of Strings: 20 String Length: 25-35 cm IP Rate: IP20

Carton Quantity: 100



LED FLOWER LIGHT 20 STRINGS GREEN

for indoor use

Ordercode: 035-013 **Input:** Battery (3 x AA - not included)

Burning hours: 200 hours

Color: Green

No. of Strings: 20 String Length: 25-35 cm IP Rate: IP20 Carton Quantity: 100

LED Flower Lights





LED FLOWER LIGHT 20 STRINGS YELLOW

for indoor use

Ordercode: 035-015 Input: Battery (2 x AA - not

included)

Burning hours: 200 hours Color: Yellow

No. of Strings: 20 String Length: 25-35 cm IP Rate: IP20

Carton Quantity: 100



Flat Cable & Belt Light



Diameter: Ø 50 mm



LED PARTY SET | 24 VOLT | 12,5 METER | 20 COLORED LED LAMPS

20 color LED lamps included, 3 meter lead wire, suitable for outdoor use. 4x Blue, 4x White, 4x Yellow, 4x Red, 4x Green

Ordercode: 435-016 LED's per bulb: 5
Power: 7,8 Watt Cable: 12,5 m
LED Lamps: 20 IP Rate: IP44



BELT LIGHT PROFI SET 20 METER WITH 20 MOULDED SOCKETS

Round rubber cable

Professional set (high quality mounted sockets) to decorate big trees

Because of the high quality of this Belt Light set, this set is the perfect solution to decorate big trees on public places like city centre squares, standing there for many years.

Ordercode: 585-038 Cable size: 2x1.5mm Carton Quantity: 4
Length: 20 meter IP44



FLAT CABLE 10 METER INCLUDING 10 SOCKETS E27

Including plug and end cap

Max. to connect 100 meter/Max. load 1.500 Watt

Ordercode: 585-036 Cable size: 2x1.5mm Carton Quantity: 5
Length: 10 meter IP44



Flat Cable & Belt Light





FLAT CABLE 20 METER INCLUDING 19 SOCKETS E27

Including plug and end cap

Ordercode: 585-037 Length: 20 meter Cable size: 2x1.5mm IP Rate: IP44

Carton Quantity: 5



FLAT CABLE 100 METER INCLUDING 100 SOCKETS E27

Including plug and end cap

Ordercode: 585-023 Length: 100 meter Cable size: 2x1.5mm IP Rate: IP44

Carton Quantity: 1



FLAT CABLE 25 METER

Including plug and end cap

Ordercode: 585-020 Length: 25 meter Cable size: 2x1.5mm IP Rate: IP44

Carton Quantity: 4



FLAT CABLE 100 METER

Including plug and end cap

Ordercode: 585-006 Length: 100 meter Cable size: 2x1.5mm IP Rate: IP44

Carton Quantity: 1



FLAT CABLE LAMP HOLDER E27

20 or 100 pieces holder and rubber rings

Ordercode: 585-025 **Ordercode:** 585-026

Carton Quantity: 1 or 5

Flat Cable & Belt Light



FLAT CABLE LAMP HOLDER E27 WITH MOUTING HOLES

20 pieces holder and rubber rings

Ordercode: 585-028 IP Rate: IP44 **Carton Quantity:** 5



TRADITIONAL FLAME LIGHT 10 PCS E14 230V

Ordercode: 440-015 Color: Flame Power: 230V Wire length: 5,3m Bulbs p/meter: 2 IP Rate: IP44





P45 CLEAR - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-071 Color: Clear Power: 15 Watt Beam: 190° Length: 71 mm

Diameter: 45 mm Connection Type: E27 Dimmable: No IP Rate: IP20 Carton Quantity: 40



P45 BLUE - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-072
Color: Blue
Connection Type: E27
Power: 15 Watt
Dimmable: No
Beam: 190°
IP Rate: IP20
Length: 71 mm
Carton Quantity: 40



P45 GREEN - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-073
Color: Green
Connection Type: E27
Power: 15 Watt
Dimmable: No
Beam: 190°
Length: 71 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 40



P45 RED - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-074

Color: Red
Connection Type: E27

Power: 15 Watt
Dimmable: No

Beam: 190°
IP Rate: IP20

Length: 71 mm
Carton Quantity: 40



P45 YELLOW - 10 PACK

15 Watt bulb with transparent glass

Ordercode: 590-075 Color: Yellow Power: 15 Watt Beam: 190° Length: 71 mm

Diameter: 45 mm Connection Type: E27 Dimmable: No IP Rate: IP20 Carton Quantity: 40





P45 2 WATT CLEAR

With E-27 socket

With high power factor >0,85

Ordercode: 165-010 Color: Warm White Color Temperature: 2700K

Lumen: 255 Power: 2 Watt Beam: 190°

LED Quantity: 30pcs x SMD

Length: 69 mm Diameter: 45 mm Connection Type: E27 Dimmable: No IP Rate: IP20

Carton Quantity: 100



P45 1 WATT CLEAR

With E-27 socket

Ordercode: 165-000 Color: Warm White Color Temperature: 2700K

Lumen: 51 Power: 1 Watt Beam: 190° LED Quantity: 6 Length: 69 mm Diameter: 45 mm Connection Type: E27 Dimmable: No IP Rate: IP20 Carton Quantity: 100



P45 2 WATT CLEAR

With E-27 socket

Ordercode: 165-009 Color: Warm White Color Temperature: 2700K Lumen: 85

Power: 1,7 Watt Beam: 190° LED Quantity: 10 Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 100



P45 1 WATT WHITE

With E-27 socket

Ordercode: 165-001 Color: White

Color Temperature: 6000K **Lumen:** 62

Power: 1 Watt Beam: 190° LED Quantity: 6 Length: 69 mm Diameter: 45 mm Connection Type: E27 Dimmable: No IP Rate: IP20 Carton Quantity: 100



P45 1 WATT BLUE

With E-27 socket

Ordercode: 165-002 Color: Blue Power: 1 Watt Beam: 190° LED Quantity: 6 Length: 69 mm Diameter: 45 mm Connection Type: E27 Dimmable: No IP Rate: IP20 Carton Quantity: 100





P45 1 WATT GREEN

With E-27 socket

Ordercode: 165-003 Color: Green Power: 1 Watt Beam: 190° LED Quantity: 6 Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 10



P45 1 WATT RED

With E-27 socket

Ordercode: 165-004 Color: Red Power: 1 Watt Beam: 190° LED Quantity: 6 Length: 69 mm Diameter: 45 mm Connection Type: E27 Dimmable: No IP Rate: IP20 Carton Quantity: 10



P45 1 WATT YELLOW

With E-27 socket

Ordercode: 165-005 Color: Yellow Power: 1 Watt Beam: 190° LED Quantity: 6 Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 10



P45 1 WATT WARM WHITE

With E-27 socket

Ordercode: 165-008 Color: Warm White Power: 1 Watt Beam: 190° LED Quantity: 6 Length: 69 mm
Diameter: 45 mm
Connection Type: E27
Dimmable: No
IP Rate: IP20
Carton Quantity: 20



P45 1 WATT CLEAR

With B-22 socket

Ordercode: 165-020 Color: Warm White Power: 1 Watt Beam: 190° LED Quantity: 6 Length: 72 mm Diameter: 45 mm Connection Type: B22 Dimmable: No IP Rate: IP20 Carton Quantity: 100





P45 1 WATT WHITE

With B-22 socket

Ordercode: 165-021 Color: White Power: 1 Watt Beam: 190° LED Quantity: 6 Length: 72 mm Diameter: 45 mm Connection Type: B22 Dimmable: No IP Rate: IP20 Carton Quantity: 10



P45 1 WATT BLUE

With B-22 socket

Ordercode: 165-022 Color: Blue Power: 1 Watt Beam: 190° LED Quantity: 6 Length: 72 mm Diameter: 45 mm Connection Type: B22 Dimmable: No IP Rate: IP20 Carton Quantity: 10



P45 1 WATT GREEN

With B-22 socket

Ordercode: 165-023 Color: Green Power: 1 Watt Beam: 190° LED Quantity: 6 Length: 72 mm Diameter: 45 mm Connection Type: B22 Dimmable: No IP Rate: IP20 Carton Quantity: 10



P45 1 WATT RED

With B-22 socket

Ordercode: 165-024 Color: Red Power: 1 Watt Beam: 190° LED Quantity: 6 Length: 72 mm Diameter: 45 mm Connection Type: B22 Dimmable: No IP Rate: IP20 Carton Quantity: 10



P45 1 WATT YELLOW

With B-22 socket

Ordercode: 165-025 Color: Yellow Power: 1 Watt Beam: 190° LED Quantity: 6 Length: 72 mm Diameter: 45 mm Connection Type: B22 Dimmable: No IP Rate: IP20 Carton Quantity: 10





P45 1 WATT WARM WHITE

With B-22 socket

Ordercode: 165-028
Color: Warm White
Power: 1 Watt
Beam: 190°
LED Quantity: 6
Connection Type: B22
Dimmable: No
IP Rate: IP20
Carton Quantity: 10



P50 1 WATT WHITE - HEAVY DUTY

With E-27 socket acrylate cover

Ordercode: 165-011

Color: White

Power: 1 Watt

Beam: 190°

LED Quantity: 10

Diameter: 50 mm

Connection Type: E27

Dimmable: No

IP Rate: IP20

Carton Quantity: 100



P50 1 WATT BLUE - HEAVY DUTY

With E-27 socket acrylate cover

Ordercode: 165-012

Color: Blue

Power: 1 Watt

Beam: 190°

LED Quantity: 10

Diameter: 50 mm

Connection Type: E27

Dimmable: No

IP Rate: IP20

Carton Quantity: 100



P50 1 WATT GREEN - HEAVY DUTY

With E-27 socket acrylate cover

Ordercode: 165-013

Color: Green

Power: 1 Watt

Beam: 190°

LED Quantity: 10

Dimmable: No

IP Rate: IP20

Carton Quantity: 100



P50 1 WATT RED - HEAVY DUTY

With E-27 socket acrylate cover

Ordercode: 165-014

Color: Red

Power: 1 Watt

Beam: 190°

LED Quantity: 10

Dimmable: No

IP Rate: IP20

Carton Quantity: 100





P50 1 WATT YELLOW - HEAVY DUTY

With E-27 socket acrylate cover

Ordercode: 165-015 Color: Yellow Power: 1 Watt **Beam:** 190° **LED Quantity:** 10

Length: 83 mm Diameter: 50 mm **Connection Type:** E27 Dimmable: No IP Rate: IP20

Carton Quantity: 100



P50 1 WATT WARM WHITE - HEAVY DUTY

With E-27 socket acrylate cover

Ordercode: 165-018 Length: 83 mm Color: Warm White Diameter: 50 mm Power: 1 Watt **Connection Type:** E27 **Beam:** 190° Dimmable: No **LED Quantity:** 10 IP Rate: IP20

Carton Quantity: 100



A60 1 WATT RGB - 7 COLOUR CHANGING

Fixed color changing program

Ordercode: 180-009 Length: 104 mm Color: RGB Diameter: 60 mm Power: 1 Watt **Connection Type:** E27 **Beam:** 120° Dimmable: No **LED Quantity:** 12 IP Rate: IP20

Carton Quantity: 100





Star Cone LED Tree

Also available in more heights from 6m up to 11 meters





STAR CONE LED TREE 3M

Standard green covering with steady blue & flashing white LED's

Ordercode: 570-080 Power: 153 Watt Height: Stare Cone 3M Floor: Ø 105 cm Rope Light White: 45M LED Steady Blue: 170 LED Flash White: 30 LED'S Total: 1820



STAR CONE LED TREE 4M

Standard green covering with steady blue & flashing white LED's

Ordercode: 570-081 Power: 256 Watt Height: Stare Cone 4M Floor: Ø 140 cm Rope Light White: 76M LED Steady Blue: 272 LED Flash White: 48 LED'S Total: 3056



STAR CONE LED TREE 5M

Standard green covering with steady blue & flashing white LED's

Ordercode: 570-082 Power: 396 Watt Height: Stare Cone 5M Floor: Ø 175 cm Rope Light White: 45M LED Steady Blue: 425 LED Flash White: 75 LED'S Total: 4712

The advantages of LED Decorative Christmas Lights

In the past, Christmas lights were incandescent bulbs encased in painted glass. They were large, burned hot, broke easily and flaked with age. Often when one bulb was broken, the entire string failed to light. Today's Christmas lights use LED-light emitting diodes-light bulbs. There are many benefits to using LED bulbs as opposed to incandescent bulbs.

LOWER COST

LED Christmas lights demand far less electricity to operate than their incandescent counterparts---they cost almost 90% less to operate.

EASIER STORAGE

Due to the durability of LED Christmas lights, they are very easy to wrap up and store for later use. Worries of bulb breakage are no longer a concern. The bulbs withstand abuse and moisture without deleterious effects.

VARIETY

LED Christmas lights are available in various sizes and styles. The miniature size of LED's has opened the door to a much higher variety of colors – including beautiful, warm white – and many new applications such as cluster lighting and animation effects like twinkling, snowfall or waterfall, adding up to the amazing lighting results of our Modular Lighting Connection System.

SAFETY

LED lights do not heat up. They are far safer and don't cause fires. The older incandescent bulbs gave off most of their energy in the form of heat. This meant a higher risk of fire during the Christmas season.

LONGEVITY

Because LED lights do not burn hot, they last an extremely long time. Also, because they do not contain delicate filaments, LED lights can withstand light impact without breaking. When they are properly taken care of, LED Christmas lights will last for years.

WEATHERPROOF

LED Christmas lights function just as well outdoors as they do indoors. They are constructed in such a way that they are impervious to moisture, heat and cold.

BRIGHTER

LED Christmas lights are brighter than lights of the past. In addition, the brightness of these lights does not fade that much over time.



Index

code	page	code	page	code	page
• TRO 005-008	34	• TRO 010-112	43	• TRO 010-208	19
• TRO 005-018	34	• TRO 010-113	19	• TRO 010-209	19
TRO 005-028	35	TRO 010-114	19	TRO 010-211	17
TRO 005-028	35	• TRO 010-115	19	• TRO 010-212	17
TRO 005-038	35	TRO 010-118	17	TRO 010-213	17
TRO 005-048	34	TRO 010-121	17	TRO 010-214	17
TRO 005-049	34	TRO 010-123	17	• TRO 010-215	17
TRO 005-058	34	TRO 010-124	17	TRO 010-218	17
TRO 005-059	34	TRO 010-125	17	TRO 010-219	17
• TRO 005-112	34	TRO 010-128	17	• TRO 010-221	17
TRO 005-122	35	TRO 010-129	17	• TRO 010-228	17
TRO 006-008	18	TRO 010-151	17	TRO 010-229	17
TRO 006-018	18	TRO 010-152	17	• TRO 010-230	17
TRO 006-019	18	TRO 010-154	17	TRO 010-231	17
TRO 006-020	18	TRO 010-158	17	• TRO 010-232	17
TRO 006-028	18	TRO 010-159	17	TRO 015-001	38
TRO 006-041	18	TRO 010-161	17	TRO 015-002	38
TRO 006-048	18	TRO 010-162	17	• TRO 015-003	38
TRO 006-051	18	TRO 010-165	17	• TRO 015-004	38
TRO 006-052	18	TRO 010-166	17	• TRO 015-005	38
• TRO 006-058	18	• TRO 010-167	17	• TRO 015-008	38
TRO 006-112	18	• TRO 010-168	17	• TRO 015-011	39
• TRO 006-132	18	• TRO 010-169	17	• TRO 015-012	39
• TRO 006-140	18	• TRO 010-171	17	• TRO 015-013	39
• TRO 010-004	19	• TRO 010-172	17	• TRO 015-014	39
• TRO 010-005	19	• TRO 010-175	17	• TRO 015-018	39
• TRO 010-006	19	• TRO 010-176	17	• TRO 015-021	39
• TRO 010-007	19	• TRO 010-180	18	• TRO 015-023	39
• TRO 010-008	43	• TRO 010-181	18	• TRO 015-024	39
• TRO 010-009	43	• TRO 010-182	18	• TRO 015-028	39
• TRO 010-012	19	• TRO 010-188	19	• TRO 015-029	39
• TRO 010-013	19	• TRO 010-189	19	• TRO 015-039	39
• TRO 010-018	43	• TRO 010-190	18	• TRO 015-048	57
• TRO 010-019	19	• TRO 010-191	18	• TRO 015-058	38
• TRO 010-020	19	• TRO 010-197	19	• TRO 016-002	41
• TRO 010-022	19	• TRO 010-200	19	• TRO 016-003	41
• TRO 010-023	19	• TRO 010-201	19	• TRO 016-004	41
• TRO 010-105	19 10	• TRO 010-202	19	• TRO 016-005	41
• TRO 010-106	19 10	• TRO 010-203	19	• TRO 016-008	41
• TRO 010-107	19	• TRO 010-204	19	• TRO 016-018	42
• TRO 010-108	19 10	• TRO 010-205	19 10	• TRO 016-050	42
• TRO 010-109	19 17	• TRO 010-206	19	• TRO 016-056	42
• TRO 010-111	17	• TRO 010-207	19	• TRO 016-057	42

Index

code	page	code	page	code	page
TRO 016-058	42	TRO 033-008	44	TRO 165-004	69
TRO 017-001	46	• TRO 033-018	44	TRO 165-005	69
TRO 017-003	46	• TRO 033-028	44	TRO 165-008	69
TRO 019-002	47	TRO 033-038	44	TRO 165-009	68
TRO 019-100	53	TRO 033-048	44	TRO 165-010	68
TRO 019-101	53	TRO 035-002	62	TRO 165-011	71
TRO 019-105	53	TRO 035-004	62	TRO 165-012	71
TRO 019-106	53	TRO 035-005	62	TRO 165-013	71
TRO 020-001	24	TRO 035-008	62	TRO 165-014	71
TRO 020-002	24	TRO 035-013	62	TRO 165-015	72
TRO 020-008	22	TRO 035-015	63	TRO 165-018	72
TRO 020-011	24	TRO 045-001	3	TRO 165-020	69
TRO 020-012	24	TRO 045-002	3	TRO 165-021	70
• TRO 024-001	31	TRO 045-003	3	TRO 165-022	70
• TRO 024-002	32	TRO 045-004	3	TRO 165-023	70
• TRO 024-003	32	TRO 045-005	4	TRO 165-024	70
TRO 024-004	32	TRO 045-008	3	TRO 165-025	70
TRO 024-018	31	TRO 050-001	4	TRO 165-028	71
TRO 024-048	31	TRO 050-002	4	TRO 180-009	72
TRO 024-058	31	TRO 050-003	4	TRO 214-007	10
TRO 024-068	31	TRO 050-004	5	TRO 215-300	29
TRO 025-004	22	TRO 050-005	5	TRO 215-300	42
TRO 025-008	25	TRO 050-008	4	TRO 215-301	29
TRO 025-011	25	TRO 055-000	6	TRO 215-301	42
TRO 025-018	22	• TRO 055-001	5	TRO 215-302	29
TRO 025-019	23	• TRO 055-002	5	TRO 215-302	42
TRO 025-021	22	• TRO 055-003	6	TRO 215-304	30
TRO 025-048	22	• TRO 055-004	6	TRO 215-310	28
TRO 025-068	23	• TRO 055-005	6	• TRO 215-311	28
TRO 025-108	26	• TRO 055-008	5	• TRO 215-312	29
TRO 025-112	23	• TRO 055-041	7	• TRO 215-314	29
• TRO 026-001	26	• TRO 055-101	6	• TRO 400-021	36
• TRO 026-002	26	• TRO 055-108	7	• TRO 420-031	45
• TRO 026-006	26	• TRO 060-001	7	• TRO 435-016	64
• TRO 026-011	25	• TRO 060-002	7	• TRO 440-015	66
• TRO 026-012	25	• TRO 060-003	7	• TRO 480-019	8
• TRO 026-016	25	• TRO 060-004	7	• TRO 480-030	8
• TRO 030-001	51	• TRO 060-005	8	• TRO 480-035	8
• TRO 030-002	51	• TRO 065-005	10	• TRO 480-040	8
• TRO 030-003	51	• TRO 165-000	68	• TRO 480-045	9
• TRO 030-004	51	• TRO 165-001	68	• TRO 480-050	9
• TRO 030-005	52	• TRO 165-002	68	• TRO 480-055	9
• TRO 030-011	52	• TRO 165-003	69	• TRO 480-060	9

Index

■ TRO 480-075 9 ■ TRO 700-002 58 ■ TRO 485-015 11 ■ TRO 700-003 58 ■ TRO 485-060 12 ■ TRO 700-009 59 ■ TRO 485-060 12 ■ TRO 700-010 59 ■ TRO 485-160 10 ■ TRO 700-011 60 ■ TRO 485-165 10 ■ TRO 700-012 60 ■ TRO 485-165 10 ■ TRO 700-013 60 ■ TRO 535-005 27 ■ TRO 700-015 61 ■ TRO 535-020 27 ■ TRO 700-017 61 ■ TRO 535-025 27 ■ TRO 700-019 60 ■ TRO 535-025 27 ■ TRO 700-019 61 ■ TRO 535-025 27 ■ TRO 700-019 61 ■ TRO 535-030 27 ■ TRO 700-019 61 ■ TRO 535-031 27 ■ TRO 700-020 59 ■ TRO 535-051 28 ■ TRO 700-021 59 ■ TRO 535-051 28 ■ TRO 700-021 59 ■ TRO 535-051 28 ■ TRO 700-021 59 ■ TRO 535-051 28 ■ TRO 700-032 58 ■ TRO 535-050 10 ■ TRO 700-032 58 ■ TRO 570-010 48 ■ TRO 700-032 58 ■ TRO 570-010 48 ■ TRO 700-033 58 ■ TRO 570-011 48 ■ TRO 700-033 58 ■ TRO 570-021 48 ■ TRO 750-001 54 ■ TRO 570-021 48 ■ TRO 750-001 54 ■ TRO 570-021 48 ■ TRO 750-001 54 ■ TRO 570-021 48 ■ TRO 750-003 54 ■ TRO 570-024 48 ■ TRO 750-001 54 ■ TRO 570-080 73 ■ TRO 750-001 54 ■ TRO 570-081 73 ■ TRO 750-001 55 ■ TRO 570-082 73 ■ TRO 750-001 55 ■ TRO 570-082 73 ■ TRO 754-002 55 ■ TRO 580-006 50 ■ TRO 765-002 56 ■ TRO 585-026 65 ■ TRO 765-005 56 ■ TRO 585-026 65 ■ TRO 765-006 56 ■ TRO 585-026 65 ■ TRO 765-007 55 ■ TRO 585-026 65 ■ TRO 765-007 55 ■ TRO 585-036 64 ■ TRO 585-037 65 ■ TRO 585-038 64 ■ TRO 590-071 67 ■ TRO 590-072 67 ■ TRO 590-073 67 ■ TRO 590-075 67	code	page	code	page
■ TRO 485-060 12 ■ TRO 700-009 59 ■ TRO 485-070 12 ■ TRO 700-010 59 ■ TRO 485-160 10 ■ TRO 700-011 60 ■ TRO 485-165 10 ■ TRO 700-012 60 ■ TRO 485-165 10 ■ TRO 700-013 60 ■ TRO 535-005 27 ■ TRO 700-015 61 ■ TRO 535-020 27 ■ TRO 700-015 61 ■ TRO 535-020 27 ■ TRO 700-017 61 ■ TRO 535-025 27 ■ TRO 700-018 60 ■ TRO 535-025 27 ■ TRO 700-019 61 ■ TRO 535-030 27 ■ TRO 700-019 61 ■ TRO 535-031 27 ■ TRO 700-020 59 ■ TRO 535-051 28 ■ TRO 700-021 59 ■ TRO 535-051 28 ■ TRO 700-021 59 ■ TRO 535-051 28 ■ TRO 700-021 59 ■ TRO 535-051 28 ■ TRO 700-031 60 ■ TRO 535-050 10 ■ TRO 700-032 58 ■ TRO 570-010 48 ■ TRO 700-033 58 ■ TRO 570-011 48 ■ TRO 700-033 58 ■ TRO 570-011 48 ■ TRO 750-001 54 ■ TRO 570-021 48 ■ TRO 750-001 54 ■ TRO 570-021 48 ■ TRO 750-003 54 ■ TRO 570-021 48 ■ TRO 750-013 54 ■ TRO 570-027 49 ■ TRO 750-013 54 ■ TRO 570-080 73 ■ TRO 753-002 55 ■ TRO 570-081 73 ■ TRO 754-001 55 ■ TRO 570-082 73 ■ TRO 754-001 56 ■ TRO 580-006 50 ■ TRO 756-001 56 ■ TRO 580-016 50 ■ TRO 765-002 56 ■ TRO 580-016 50 ■ TRO 765-001 56 ■ TRO 580-016 50 ■ TRO 765-002 56 ■ TRO 580-026 65 ■ TRO 765-001 56 ■ TRO 585-028 66 ■ TRO 765-001 57 ■ TRO 585-028 66 ■ TRO 765-001 57 ■ TRO 585-038 64 ■ TRO 585-037 65 ■ TRO 585-038 64 ■ TRO 590-071 67 ■ TRO 590-072 67 ■ TRO 590-073 67 ■ TRO 590-074 67	• TRO 480-075	9	• TRO 700-002	58
■ TRO 485-070	TRO 485-015	11	• TRO 700-003	58
■ TRO 485-070	TRO 485-060	12		
■ TRO 485-160				
■ TRO 485-165 ■ TRO 485-170 ■ TRO 700-012 ■ TRO 535-005 ■ TRO 535-005 ■ TRO 535-020 ■ TRO 535-020 ■ TRO 535-020 ■ TRO 535-025 ■ TRO 700-017 ■ TRO 700-018 ■ 60 ■ TRO 535-020 ■ TRO 700-017 ■ 61 ■ TRO 535-025 ■ TRO 700-018 ■ 60 ■ TRO 535-030 ■ TRO 700-019 ■ 61 ■ TRO 535-030 ■ TRO 700-020 ■ 59 ■ TRO 535-050 ■ 8 ■ TRO 700-021 ■ 59 ■ TRO 535-051 ■ 8 ■ TRO 700-021 ■ 59 ■ TRO 535-051 ■ 8 ■ TRO 700-021 ■ 59 ■ TRO 535-050 ■ 7RO 700-031 ■ 60 ■ TRO 535-050 ■ 7RO 700-031 ■ 60 ■ TRO 545-005 ■ 10 ■ TRO 700-032 ■ 58 ■ TRO 700-033 ■ 58 ■ TRO 700-033 ■ 58 ■ TRO 700-033 ■ 58 ■ TRO 570-010 ■ 48 ■ TRO 750-001 ■ 48 ■ TRO 750-003 ■ 54 ■ TRO 570-011 ■ 48 ■ TRO 750-003 ■ 54 ■ TRO 570-021 ■ 48 ■ TRO 750-003 ■ 54 ■ TRO 570-021 ■ 48 ■ TRO 750-011 ■ 54 ■ TRO 570-021 ■ 48 ■ TRO 750-013 ■ 54 ■ TRO 570-021 ■ 7RO 750-013 ■ 54 ■ TRO 570-021 ■ 7RO 750-013 ■ 54 ■ TRO 570-031 ■ 7RO 753-002 ■ 55 ■ TRO 570-081 ■ 73 ■ TRO 753-002 ■ 55 ■ TRO 570-082 ■ 73 ■ TRO 754-001 ■ 55 ■ TRO 580-016 ■ 50 ■ TRO 765-001 ■ 56 ■ TRO 585-020 ■ 65 ■ TRO 765-004 ■ 66 ■ TRO 765-005 ■ 7RO 585-025 ■ 65 ■ TRO 765-006 ■ 7RO 765-006 ■ 7RO 765-007 ■ 55 ■ TRO 585-026 ■ 65 ■ TRO 765-007 ■ 55 ■ TRO 585-027 ■ 67 ■ TRO 585-038 ■ 64 ■ TRO 590-071 ■ 67 ■ TRO 590-072 ■ 67 ■ TRO 590-073 ■ 67 ■ TRO 590-074 ■ 67				
■ TRO 485-170				
■ TRO 535-005 27 ■ TRO 700-015 61 ■ TRO 535-020 27 ■ TRO 700-017 61 ■ TRO 535-025 27 ■ TRO 700-018 60 ■ TRO 535-030 27 ■ TRO 700-019 61 ■ TRO 535-031 27 ■ TRO 700-020 59 ■ TRO 535-050 28 ■ TRO 700-021 59 ■ TRO 535-051 28 ■ TRO 700-021 59 ■ TRO 535-050 28 ■ TRO 700-022 59 ■ TRO 535-090 28 ■ TRO 700-031 60 ■ TRO 545-005 10 ■ TRO 700-032 58 ■ TRO 700-032 58 ■ TRO 700-033 58 ■ TRO 750-010 48 ■ TRO 700-033 58 ■ TRO 750-011 48 ■ TRO 750-001 54 ■ TRO 750-003 54 ■ TRO 750-026 48 ■ TRO 750-003 54 ■ TRO 750-021 48 ■ TRO 750-011 54 ■ TRO 750-011 54 ■ TRO 750-031 55 ■ TRO 570-080 73 ■ TRO 753-002 55 ■ TRO 570-081 73 ■ TRO 754-001 55 ■ TRO 570-082 73 ■ TRO 754-001 55 ■ TRO 570-082 73 ■ TRO 754-002 55 ■ TRO 580-006 50 ■ TRO 765-001 56 ■ TRO 580-016 50 ■ TRO 765-001 56 ■ TRO 580-016 50 ■ TRO 765-003 57 ■ TRO 585-026 65 ■ TRO 765-005 56 ■ TRO 585-026 65 ■ TRO 765-006 56 ■ TRO 585-026 65 ■ TRO 765-007 55 ■ TRO 585-028 66 ■ TRO 765-007 55 ■ TRO 585-036 64 ■ TRO 585-037 65 ■ TRO 585-038 64 ■ TRO 590-071 67 ■ TRO 590-072 67 ■ TRO 590-073 67 ■ TRO 590-074 67				
■ TRO 535-020 27 ■ TRO 700-017 61 ■ TRO 535-025 27 ■ TRO 700-018 60 ■ TRO 535-030 27 ■ TRO 700-019 61 ■ TRO 535-031 27 ■ TRO 700-020 59 ■ TRO 535-031 27 ■ TRO 700-020 59 ■ TRO 535-050 28 ■ TRO 700-021 59 ■ TRO 535-051 28 ■ TRO 700-022 59 ■ TRO 535-090 28 ■ TRO 700-031 60 ■ TRO 545-005 10 ■ TRO 700-032 58 ■ TRO 570-010 48 ■ TRO 700-033 58 ■ TRO 570-011 48 ■ TRO 750-003 54 ■ TRO 570-011 48 ■ TRO 750-001 54 ■ TRO 570-021 48 ■ TRO 750-003 54 ■ TRO 570-021 48 ■ TRO 750-003 54 ■ TRO 570-021 48 ■ TRO 750-011 54 ■ TRO 570-024 49 ■ TRO 750-013 54 ■ TRO 570-027 49 ■ TRO 750-013 54 ■ TRO 570-031 49 ■ TRO 753-002 55 ■ TRO 570-081 73 ■ TRO 753-002 55 ■ TRO 570-082 73 ■ TRO 754-001 55 ■ TRO 570-082 73 ■ TRO 754-001 55 ■ TRO 580-006 50 ■ TRO 765-001 56 ■ TRO 580-016 50 ■ TRO 765-003 57 ■ TRO 585-026 65 ■ TRO 765-004 56 ■ TRO 585-026 65 ■ TRO 765-005 56 ■ TRO 585-026 65 ■ TRO 765-007 55 ■ TRO 585-026 65 ■ TRO 765-007 55 ■ TRO 585-028 66 ■ TRO 765-001 57 ■ TRO 585-036 64 ■ TRO 590-071 67 ■ TRO 590-072 67 ■ TRO 590-073 67 ■ TRO 590-074 67				
■ TRO 535-025 27 ■ TRO 700-018 60 ■ TRO 535-030 27 ■ TRO 700-019 61 ■ TRO 535-031 27 ■ TRO 700-020 59 ■ TRO 535-051 28 ■ TRO 700-021 59 ■ TRO 535-051 28 ■ TRO 700-022 59 ■ TRO 535-051 28 ■ TRO 700-022 59 ■ TRO 535-050 28 ■ TRO 700-022 59 ■ TRO 535-090 28 ■ TRO 700-031 60 ■ TRO 545-005 10 ■ TRO 700-032 58 ■ TRO 700-033 58 ■ TRO 700-033 58 ■ TRO 700-033 58 ■ TRO 570-010 48 ■ TRO 750-001 54 ■ TRO 570-011 48 ■ TRO 750-001 54 ■ TRO 570-011 48 ■ TRO 750-003 54 ■ TRO 570-021 48 ■ TRO 750-003 54 ■ TRO 570-021 48 ■ TRO 750-003 54 ■ TRO 570-021 48 ■ TRO 750-013 54 ■ TRO 570-021 49 ■ TRO 750-013 54 ■ TRO 570-027 49 ■ TRO 750-013 54 ■ TRO 570-031 49 ■ TRO 753-002 55 ■ TRO 570-080 73 ■ TRO 753-002 55 ■ TRO 570-081 73 ■ TRO 754-001 55 ■ TRO 570-082 73 ■ TRO 754-001 55 ■ TRO 570-082 73 ■ TRO 754-001 55 ■ TRO 580-006 50 ■ TRO 765-001 56 ■ TRO 580-016 50 ■ TRO 765-001 56 ■ TRO 580-016 50 ■ TRO 765-004 56 ■ TRO 585-020 65 ■ TRO 765-004 56 ■ TRO 585-020 65 ■ TRO 765-005 56 ■ TRO 585-020 65 ■ TRO 765-006 56 ■ TRO 765-007 55 ■ TRO 585-026 65 ■ TRO 765-008 57 ■ TRO 585-036 64 ■ TRO 585-037 65 ■ TRO 585-037 65 ■ TRO 585-038 64 ■ TRO 585-037 65 ■ TRO 585-037 67 ■ TRO 590-073 67 ■ TRO 590-074 67				
■ TRO 535-030				
■ TRO 535-031 27 ■ TRO 700-020 59 ■ TRO 535-050 28 ■ TRO 700-021 59 ■ TRO 535-051 28 ■ TRO 700-022 59 ■ TRO 535-090 28 ■ TRO 700-031 60 ■ TRO 535-090 28 ■ TRO 700-032 58 ■ TRO 7700-032 58 ■ TRO 570-010 48 ■ TRO 700-033 58 ■ TRO 570-011 48 ■ TRO 570-001 54 ■ TRO 570-011 48 ■ TRO 570-001 54 ■ TRO 570-021 48 ■ TRO 750-003 54 ■ TRO 570-021 48 ■ TRO 750-003 54 ■ TRO 570-026 48 ■ TRO 750-011 54 ■ TRO 570-027 49 ■ TRO 750-013 54 ■ TRO 570-031 49 ■ TRO 750-013 54 ■ TRO 570-031 49 ■ TRO 753-002 55 ■ TRO 570-081 73 ■ TRO 753-002 55 ■ TRO 570-081 73 ■ TRO 754-001 55 ■ TRO 570-082 73 ■ TRO 754-001 55 ■ TRO 570-082 73 ■ TRO 754-002 55 ■ TRO 580-016 50 ■ TRO 765-001 56 ■ TRO 580-016 50 ■ TRO 765-002 56 ■ TRO 580-016 50 ■ TRO 765-004 56 ■ TRO 585-026 65 ■ TRO 765-004 56 ■ TRO 585-026 65 ■ TRO 765-005 56 ■ TRO 585-026 65 ■ TRO 585-026 65 ■ TRO 765-007 55 ■ TRO 585-026 65 ■ TRO 585-026 65 ■ TRO 765-001 57 ■ TRO 585-026 65 ■ TRO 585-026 65 ■ TRO 765-001 57 ■ TRO 585-026 65 ■ TRO 585-026 65 ■ TRO 765-001 57 ■ TRO 585-026 65 ■ TRO 585-027 65 ■ TRO 585-028 66 ■ TRO 585-037 65 ■ TRO 585-037 67 ■ TRO 590-074 67 ■ TR				
■ TRO 535-050 28 ■ TRO 700-021 59 ■ TRO 535-051 28 ■ TRO 700-022 59 ■ TRO 535-090 28 ■ TRO 700-031 60 ■ TRO 545-005 10 ■ TRO 700-032 58 ■ TRO 570-010 48 ■ TRO 700-033 58 ■ TRO 570-011 48 ■ TRO 570-001 54 ■ TRO 570-016 48 ■ TRO 570-003 54 ■ TRO 570-021 48 ■ TRO 750-003 54 ■ TRO 570-021 48 ■ TRO 750-003 54 ■ TRO 570-026 48 ■ TRO 750-011 54 ■ TRO 570-027 49 ■ TRO 750-013 54 ■ TRO 570-031 49 ■ TRO 750-013 54 ■ TRO 570-031 49 ■ TRO 750-013 55 ■ TRO 570-080 73 ■ TRO 753-002 55 ■ TRO 570-081 73 ■ TRO 754-001 55 ■ TRO 570-082 73 ■ TRO 754-001 55 ■ TRO 570-082 73 ■ TRO 754-001 55 ■ TRO 580-006 50 ■ TRO 765-001 56 ■ TRO 580-016 50 ■ TRO 765-001 56 ■ TRO 580-016 50 ■ TRO 765-003 57 ■ TRO 585-026 65 ■ TRO 765-004 56 ■ TRO 585-026 65 ■ TRO 585-026 65 ■ TRO 765-007 55 ■ TRO 585-026 65 ■ TRO 765-007 55 ■ TRO 585-026 65 ■ TRO 765-001 57 ■ TRO 585-036 64 ■ TRO 585-037 65 ■ TRO 585-036 64 ■ TRO 585-037 65 ■ TRO 585-036 64 ■ TRO 580-031 67 ■ TRO				
■ TRO 535-051 28 ■ TRO 700-022 59 ■ TRO 535-090 28 ■ TRO 700-031 60 ■ TRO 545-005 10 ■ TRO 700-032 58 ■ TRO 570-010 48 ■ TRO 700-033 58 ■ TRO 570-011 48 ■ TRO 570-001 54 ■ TRO 570-011 48 ■ TRO 570-001 54 ■ TRO 570-016 48 ■ TRO 750-003 54 ■ TRO 570-021 48 ■ TRO 750-008 54 ■ TRO 570-026 48 ■ TRO 750-011 54 ■ TRO 570-027 49 ■ TRO 750-013 54 ■ TRO 570-027 49 ■ TRO 750-013 54 ■ TRO 570-031 49 ■ TRO 753-002 55 ■ TRO 570-081 73 ■ TRO 753-003 55 ■ TRO 570-081 73 ■ TRO 754-001 55 ■ TRO 570-082 73 ■ TRO 754-001 55 ■ TRO 580-016 50 ■ TRO 765-001 56 ■ TRO 580-016 50 ■ TRO 765-002 56 ■ TRO 580-016 50 ■ TRO 765-003 57 ■ TRO 585-026 65 ■ TRO 765-004 56 ■ TRO 585-025 65 ■ TRO 765-004 56 ■ TRO 585-025 65 ■ TRO 765-006 56 ■ TRO 765-007 55 ■ TRO 585-026 65 ■ TRO 765-007 55 ■ TRO 585-026 65 ■ TRO 765-008 57 ■ TRO 585-036 64 ■ TRO 585-037 65 ■ TRO 585-037 65 ■ TRO 585-037 65 ■ TRO 580-071 67 ■ TRO 590-071 67 ■ TRO 590-073 67 ■ TRO 590-074 67				
■ TRO 535-090 28 ■ TRO 700-031 60 ■ TRO 545-005 10 ■ TRO 700-032 58 ■ TRO 570-010 48 ■ TRO 700-033 58 ■ TRO 570-011 48 ■ TRO 750-001 54 ■ TRO 570-016 48 ■ TRO 750-003 54 ■ TRO 570-021 48 ■ TRO 750-008 54 ■ TRO 570-026 48 ■ TRO 750-011 54 ■ TRO 570-027 49 ■ TRO 750-013 54 ■ TRO 570-027 49 ■ TRO 750-013 54 ■ TRO 570-031 49 ■ TRO 750-031 55 ■ TRO 570-080 73 ■ TRO 753-002 55 ■ TRO 570-081 73 ■ TRO 753-003 55 ■ TRO 570-081 73 ■ TRO 754-001 55 ■ TRO 570-082 73 ■ TRO 754-001 55 ■ TRO 580-006 50 ■ TRO 765-001 56 ■ TRO 580-016 50 ■ TRO 765-002 56 ■ TRO 580-016 50 ■ TRO 765-003 57 ■ TRO 585-026 65 ■ TRO 765-004 56 ■ TRO 765-004 56 ■ TRO 585-025 65 ■ TRO 765-007 55 ■ TRO 585-026 65 ■ TRO 765-007 55 ■ TRO 585-028 66 ■ TRO 765-001 57 ■ TRO 585-028 66 ■ TRO 765-001 57 ■ TRO 585-036 64 ■ TRO 585-037 65 ■ TRO 585-038 64 ■ TRO 590-071 67 ■ TRO 590-072 67 ■ TRO 590-073 67 ■ TRO 590-074 67				
■ TRO 545-005 10 ■ TRO 700-032 58 ■ TRO 570-010 48 ■ TRO 700-033 58 ■ TRO 570-011 48 ■ TRO 750-001 54 ■ TRO 570-016 48 ■ TRO 750-003 54 ■ TRO 570-021 48 ■ TRO 750-008 54 ■ TRO 570-026 48 ■ TRO 750-011 54 ■ TRO 570-027 49 ■ TRO 750-013 54 ■ TRO 570-031 49 ■ TRO 750-013 54 ■ TRO 570-031 49 ■ TRO 753-002 55 ■ TRO 570-081 73 ■ TRO 753-002 55 ■ TRO 570-081 73 ■ TRO 754-001 55 ■ TRO 570-082 73 ■ TRO 754-001 55 ■ TRO 580-016 50 ■ TRO 765-001 56 ■ TRO 580-016 50 ■ TRO 765-001 56 ■ TRO 580-016 50 ■ TRO 765-003 57 ■ TRO 585-026 65 ■ TRO 765-004 56 ■ TRO 585-023 65 ■ TRO 765-005 56 ■ TRO 585-026 65 ■ TRO 765-007 55 ■ TRO 585-026 65 ■ TRO 765-008 57 ■ TRO 585-036 64 ■ TRO 585-037 65 ■ TRO 585-038 64 ■ TRO 590-071 67 ■ TRO 590-073 67 ■ TRO 590-074 67				
■ TRO 570-010				
 TRO 570-011 48 TRO 570-001 54 TRO 570-016 48 TRO 750-003 54 TRO 570-021 48 TRO 750-008 54 TRO 570-026 48 TRO 750-011 54 TRO 570-027 49 TRO 750-013 54 TRO 570-031 49 TRO 753-002 55 TRO 570-080 73 TRO 753-003 55 TRO 570-081 73 TRO 754-001 55 TRO 580-006 TRO 765-001 66 TRO 580-011 50 TRO 765-002 56 TRO 765-002 66 TRO 580-016 TRO 765-003 57 TRO 585-020 TRO 765-004 66 TRO 765-005 66 TRO 765-006 56 TRO 765-007 56 TRO 765-008 57 TRO 585-023 TRO 765-006 56 TRO 765-007 TRO 585-028 TRO 765-008 TRO 765-011 TRO 585-036 TRO 765-011 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-072 TRO 590-073 TRO 590-074 67 TRO 590-074 67 				
 TRO 570-016 48 TRO 570-021 48 TRO 750-008 54 TRO 570-026 48 TRO 750-011 54 TRO 570-027 49 TRO 750-013 54 TRO 570-031 49 TRO 753-002 55 TRO 570-080 73 TRO 753-003 55 TRO 570-081 73 TRO 754-001 55 TRO 570-082 73 TRO 754-002 55 TRO 580-006 TRO 765-001 56 TRO 765-001 56 TRO 765-002 56 TRO 765-003 57 TRO 580-016 TRO 765-003 57 TRO 585-006 TRO 765-004 56 TRO 765-004 56 TRO 765-005 6 TRO 765-006 56 TRO 765-007 55 TRO 765-007 55 TRO 765-008 57 TRO 585-028 66 TRO 765-008 57 TRO 585-036 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-072 TRO 590-073 TRO 590-074 67 TRO 590-074 67 	TRO 570-010	48	• TRO 700-033	58
 TRO 570-021 48 TRO 570-026 48 TRO 750-011 54 TRO 570-027 49 TRO 750-013 54 TRO 570-031 49 TRO 753-002 55 TRO 570-080 73 TRO 753-003 55 TRO 570-081 73 TRO 754-001 55 TRO 570-082 73 TRO 754-002 55 TRO 580-006 TRO 765-001 6 TRO 580-011 0 TRO 765-002 6 TRO 580-016 TRO 765-003 TRO 765-003 TRO 585-020 TRO 765-004 6 TRO 585-020 TRO 765-005 TRO 765-006 TRO 765-006 TRO 765-007 TRO 585-025 TRO 765-006 TRO 765-008 TRO 7885-028 TRO 765-011 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-072 TRO 590-074 TRO 590-074 TRO 590-074 	TRO 570-011	48	TRO 750-001	54
 TRO 570-026 48 TRO 570-011 54 TRO 570-027 49 TRO 750-013 54 TRO 570-031 49 TRO 753-002 55 TRO 570-080 73 TRO 753-003 55 TRO 570-081 73 TRO 754-001 55 TRO 570-082 73 TRO 754-002 55 TRO 580-006 50 TRO 765-001 56 TRO 765-002 56 TRO 580-016 TRO 765-003 57 TRO 585-006 65 TRO 765-004 56 TRO 765-004 56 TRO 765-005 56 TRO 765-006 56 TRO 765-007 55 TRO 585-025 TRO 765-006 56 TRO 765-007 55 TRO 585-028 66 TRO 765-011 57 TRO 585-036 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-072 TRO 590-073 TRO 590-074 TRO 590-074 TRO 590-074 	TRO 570-016	48	TRO 750-003	54
 TRO 570-027 49 TRO 570-031 49 TRO 753-002 55 TRO 570-080 73 TRO 753-003 55 TRO 570-081 73 TRO 754-001 55 TRO 570-082 73 TRO 754-002 55 TRO 580-006 TRO 765-001 56 TRO 580-011 50 TRO 765-002 56 TRO 765-003 57 TRO 585-006 65 TRO 765-004 56 TRO 765-004 56 TRO 765-005 56 TRO 765-006 56 TRO 765-007 57 TRO 585-023 TRO 765-006 56 TRO 765-007 55 TRO 585-026 TRO 765-008 TRO 785-008 TRO 585-036 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-072 TRO 590-073 TRO 590-074 67 TRO 590-074 67 	TRO 570-021	48	TRO 750-008	54
 TRO 570-031 49 TRO 753-002 55 TRO 570-080 73 TRO 753-003 55 TRO 570-081 73 TRO 754-001 55 TRO 570-082 73 TRO 754-002 55 TRO 580-006 TRO 765-001 56 TRO 765-001 56 TRO 765-002 56 TRO 765-002 56 TRO 765-003 57 TRO 7880-016 50 TRO 765-003 57 TRO 765-004 56 TRO 765-004 56 TRO 765-005 56 TRO 765-005 56 TRO 765-005 56 TRO 765-006 56 TRO 765-007 55 TRO 765-007 55 TRO 765-008 57 TRO 585-026 65 TRO 765-008 57 TRO 585-036 64 TRO 585-037 65 TRO 585-038 TRO 590-071 67 TRO 590-072 67 TRO 590-073 67 TRO 590-074 67 	TRO 570-026	48	TRO 750-011	54
 TRO 570-080 TRO 570-081 TRO 570-081 TRO 570-082 TRO 570-082 TRO 580-006 TRO 580-001 TRO 580-001 TRO 580-011 TRO 580-016 TRO 585-002 TRO 585-004 TRO 585-005 TRO 585-005 TRO 765-001 TRO 585-020 TRO 765-004 TRO 765-005 TRO 765-006 TRO 765-006 TRO 765-007 TRO 585-020 TRO 765-006 TRO 765-007 TRO 585-025 TRO 765-007 TRO 585-026 TRO 765-008 TRO 765-011 TRO 585-037 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-072 TRO 590-073 TRO 590-074 TRO 590-074 	TRO 570-027	49	TRO 750-013	54
 TRO 570-081 73 TRO 570-082 73 TRO 754-002 55 TRO 580-006 TRO 580-001 TRO 580-011 TRO 580-016 TRO 585-002 TRO 585-004 TRO 585-020 TRO 585-025 TRO 585-026 TRO 585-028 TRO 585-036 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-074 TRO 590-074 TRO 590-074 TRO 590-074 TRO 590-074 TRO 590-074 TRO 550-001 TRO 765-001 TRO 765-006 TRO 765-007 TRO 765-008 TRO 765-011 TRO 765-011 	TRO 570-031	49	TRO 753-002	55
 TRO 570-082 TRO 580-006 TRO 580-001 TRO 580-011 TRO 765-002 TRO 580-016 TRO 585-003 TRO 765-004 TRO 585-025 TRO 585-026 TRO 585-028 TRO 585-036 TRO 585-038 TRO 585-038 TRO 590-073 TRO 590-074 TRO 590-074 TRO 590-074 TRO 590-074 TRO 765-001 TRO 765-004 TRO 765-005 TRO 765-006 TRO 765-006 TRO 765-007 TRO 765-007 TRO 765-008 TRO 765-011 TRO 765-011 TRO 765-011 	• TRO 570-080	73	TRO 753-003	55
 TRO 580-006 50 TRO 765-001 56 TRO 580-011 50 TRO 765-002 56 TRO 765-002 56 TRO 765-003 57 TRO 585-006 65 TRO 765-004 56 TRO 765-004 56 TRO 765-005 56 TRO 765-005 56 TRO 765-006 56 TRO 765-007 55 TRO 765-007 55 TRO 765-008 57 TRO 585-028 66 TRO 765-011 57 TRO 585-036 TRO 585-037 65 TRO 590-071 67 TRO 590-072 67 TRO 590-073 67 TRO 590-074 67 	• TRO 570-081	73	TRO 754-001	55
 TRO 580-011 TRO 580-016 TRO 585-006 TRO 585-006 TRO 585-004 TRO 585-020 TRO 585-023 TRO 585-025 TRO 585-026 TRO 585-028 TRO 585-036 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-073 TRO 590-074 TRO 590-074 TRO 590-074 TRO 590-074 TRO 590-074 TRO 590-074 TRO 590-073 TRO 590-073 TRO 590-074 TRO 590-074 TRO 590-074 	• TRO 570-082	73	• TRO 754-002	55
 TRO 580-016 TRO 585-006 TRO 585-006 TRO 585-020 TRO 765-005 TRO 765-005 TRO 585-023 TRO 585-025 TRO 765-006 TRO 765-007 TRO 585-026 TRO 765-008 TRO 585-028 TRO 765-011 TRO 585-036 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-072 TRO 590-073 TRO 590-074 TRO 590-074 	TRO 580-006	50	TRO 765-001	56
 TRO 585-006 TRO 585-020 TRO 585-023 TRO 585-023 TRO 765-006 TRO 585-025 TRO 765-007 TRO 585-026 TRO 765-008 TRO 765-008 TRO 585-028 TRO 585-036 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-073 TRO 590-074 TRO 590-074 	TRO 580-011	50	TRO 765-002	56
 TRO 585-020 TRO 585-023 TRO 585-025 TRO 585-025 TRO 585-026 TRO 585-028 TRO 585-036 TRO 585-037 TRO 585-038 TRO 585-038 TRO 590-071 TRO 590-073 TRO 590-074 TRO 590-074 	TRO 580-016	50	• TRO 765-003	57
 TRO 585-020 TRO 585-023 TRO 585-025 TRO 585-025 TRO 585-026 TRO 585-028 TRO 585-036 TRO 585-037 TRO 585-038 TRO 585-038 TRO 590-071 TRO 590-073 TRO 590-074 TRO 590-074 	• TRO 585-006	65	• TRO 765-004	56
 TRO 585-023 TRO 585-025 TRO 585-025 TRO 585-026 TRO 765-007 TRO 765-008 TRO 765-008 TRO 585-028 TRO 765-011 TRO 585-036 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-072 TRO 590-073 TRO 590-074 67 				56
 TRO 585-025 TRO 585-026 TRO 585-028 TRO 585-036 TRO 585-037 TRO 585-038 TRO 585-038 TRO 590-071 TRO 590-072 TRO 590-073 TRO 590-074 TRO 590-074 				
 TRO 585-026 TRO 585-028 TRO 585-036 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-073 TRO 590-074 TRO 590-074 				
 TRO 585-028 TRO 585-036 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-072 TRO 590-073 TRO 590-074 67 				
 TRO 585-036 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-072 TRO 590-073 TRO 590-074 67 				
 TRO 585-037 TRO 585-038 TRO 590-071 TRO 590-072 TRO 590-073 TRO 590-074 67 			1110 703 011	37
 TRO 585-038 TRO 590-071 TRO 590-072 TRO 590-073 TRO 590-074 67 				
 TRO 590-071 TRO 590-072 TRO 590-073 TRO 590-074 67 				
 TRO 590-072 TRO 590-073 TRO 590-074 67 				
TRO 590-073TRO 590-07467				
• TRO 590-074 67				
• TRO 590-075 67				
	TRO 590-075	67		